

In 2017, 161 correctional facilities met the Texas Health & Safety Code Chapter 89 criteria and were required to report their TB screening activities in the form of a Monthly Correctional TB Report. This annual report highlights TB screening activities in your jail and compares results to all designated Texas Health & Safety Code Chapter 89 correctional facilities.

Table 2: TB Screening Results January 1– December 31, 2017				
Wood County Justice Center	Total at this Facility	% at this Facility	All Facilities (Chapter 89)	% All Facilities
INMATES				
Number of Skin Test Administered	436		472,392	
Number of Skin Test Read	416	95.4	361,267	76%
Number of Positive Tuberculin Skin Test	0	0%	20,863	5.8%
Number of Chest X-rays Performed	2		37,581	
Number of Conversions	0		1,498	
Number of TB Suspects Reported	0		117	
Number of Active TB Cases Reported	0		35	
Number of TB Cases Transferred In	0		2	
EMPLOYEES				
Number of Skin Test Administered	39		14,335	
Number of Skin Test Read	39	100%	13,918	97%
Number of Positive TST	0	0%	86	0.6%
Number of CXRs Performed	0		272	
Number of Conversions	0		16	
Number of TB Suspects Reported	0		0	
Number of Active TB Cases Reported	0		0	

In 2017, there were 436 inmate tuberculin skin tests administered and read at Wood County Justice Center. Of that number, 0 (0%) had a measurement of 10 mm or greater.

There were 39 employee tuberculin skin tests administered. Of that number, 0 (0%) had a measurement of 10 mm or greater.

There were no suspects and no cases reported in 2017 at Wood County Justice Center.

All Monthly Correctional TB Reports were submitted for 2017 - 100%.