

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Physical education and physical activity	63.6	56.0 - 70.6	127	57.2	50.9 - 63.3	183	53.0	38.7 - 66.8	45	59.0	54.4 - 63.5	355
b. Nutrition	52.8	44.6 - 60.8	127	49.9	43.3 - 56.6	181	46.3	33.1 - 60.0	45	50.5	45.7 - 55.4	353
c. Tobacco-use prevention	51.0	43.3 - 58.6	127	43.5	36.6 - 50.7	181	46.3	33.1 - 60.0	45	46.6	41.7 - 51.5	353
d. Chronic health conditions (e.g., asthma, food allergies)	48.3	40.5 - 56.2	127	35.0	28.6 - 42.1	181	45.1	32.1 - 58.7	44	41.1	36.4 - 45.9	352
e. Unintentional injury and violence prevention (safety)	48.3	40.8 - 55.9	127	37.0	30.6 - 43.9	181	41.5	29.6 - 54.4	43	41.7	37.1 - 46.4	351
f. Sexual health, including HIV, other STD, and pregnancy prevention	49.2	41.7 - 56.8	126	32.2	25.9 - 39.1	179	35.3	23.5 - 49.2	42	38.8	34.2 - 43.6	347

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Health education	56.5	48.1 - 64.5	122	55.3	48.3 - 62.2	183	71.2	55.9 - 82.8	45	57.7	52.6 - 62.5	350
b. Physical education	56.1	47.8 - 64.2	122	62.5	55.6 - 69.0	182	73.1	59.8 - 83.2	45	61.6	56.6 - 66.2	349
c. Physical activity	55.9	47.3 - 64.1	122	55.4	48.4 - 62.2	182	66.1	52.9 - 77.1	45	56.9	51.8 - 61.7	349
d. School meal programs	48.0	39.7 - 56.4	122	43.3	36.6 - 50.3	182	59.4	47.4 - 70.3	45	46.9	42.1 - 51.8	349
e. Foods and beverages available at school outside the school meal programs	42.8	34.6 - 51.4	122	36.8	30.8 - 43.3	182	44.1	32.4 - 56.5	45	39.8	35.2 - 44.6	349
f. Health services	58.5	49.7 - 66.9	121	54.4	47.7 - 60.9	182	63.5	51.6 - 73.9	45	56.9	52.0 - 61.7	348
g. Counseling, psychological, and social services	76.8	68.9 - 83.2	121	73.4	67.6 - 78.6	181	66.1	54.5 - 76.0	45	73.7	69.5 - 77.6	347
h. Physical environment	69.2	60.8 - 76.6	121	69.6	63.2 - 75.4	181	72.1	57.2 - 83.4	44	69.8	65.0 - 74.2	346
i. Social and emotional climate	84.1	77.1 - 89.2	121	80.7	74.5 - 85.7	181	78.8	64.9 - 88.2	43	81.7	77.5 - 85.3	345
j. Family engagement	86.6	79.4 - 91.6	120	87.9	82.3 - 91.9	181	85.9	74.7 - 92.7	43	87.2	83.3 - 90.3	344
k. Community involvement	84.4	76.9 - 89.8	119	89.4	84.0 - 93.1	178	90.6	77.5 - 96.4	43	87.8	83.9 - 90.8	340
l. Employee wellness	55.9	46.7 - 64.8	118	48.7	41.9 - 55.6	175	54.8	41.8 - 67.2	43	52.0	46.9 - 57.1	336

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
56.0	48.9 - 62.8	116	52.7	45.8 - 59.5	179	63.5	49.7 - 75.5	41	55.1	50.4 - 59.7	336

\*Among schools that engaged in an improvement planning process during the past year.

N = Unweighted number of observations

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Reviewed district's local wellness policy	85.7	78.6 - 90.7	127	84.7	78.6 - 89.3	184	84.7	73.3 - 91.7	46	85.1	81.0 - 88.4	357
b. Helped revise district's local wellness policy	72.3	63.7 - 79.6	127	59.1	52.9 - 65.0	183	77.4	66.0 - 85.8	46	66.1	61.5 - 70.4	356
c. Communicated to school staff about district's local wellness policy	79.6	71.5 - 85.8	127	77.5	71.0 - 83.0	183	76.2	64.2 - 85.1	46	78.1	73.6 - 82.1	356
d. Communicated to parents and families about district's local wellness policy	74.0	65.5 - 81.1	127	67.5	60.7 - 73.6	183	76.2	64.2 - 85.1	46	70.9	66.1 - 75.2	356
e. Communicated to students about district's local wellness policy	74.3	66.3 - 81.0	127	68.2	61.4 - 74.4	183	80.9	68.6 - 89.2	46	72.0	67.3 - 76.2	356
f. Measured school's compliance with district's local wellness policy	68.1	59.3 - 75.7	127	62.2	54.7 - 69.2	182	75.3	60.9 - 85.7	45	65.9	60.7 - 70.8	354
g. Developed an action plan that describes steps to meet requirements of district's local wellness policy	61.3	52.6 - 69.3	127	58.1	50.8 - 65.1	181	70.9	55.5 - 82.6	45	60.8	55.6 - 65.8	353

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
90.2	84.3 - 94.0	129	90.6	85.7 - 93.9	186	93.5	82.1 - 97.8	46	90.8	87.6 - 93.3	361

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have one or more than one group (e.g., a school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
71.3	62.7 - 78.6	129	63.1	56.0 - 69.7	185	67.0	55.3 - 76.8	46	66.6	61.6 - 71.1	360

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Identified student health needs based on a review of relevant data	83.3	74.1 - 89.7	86	78.4	69.8 - 85.1	115	89.9	73.6 - 96.6	30	81.7	76.1 - 86.1	231
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	79.2	69.4 - 86.6	86	81.9	74.2 - 87.7	115	75.4	59.2 - 86.6	30	80.1	74.7 - 84.6	231
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	61.2	49.9 - 71.4	86	51.1	42.6 - 59.6	115	59.4	43.2 - 73.8	30	55.9	49.6 - 62.1	231
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	87.4	78.9 - 92.8	86	87.1	80.4 - 91.7	115	96.6	80.9 - 99.5	30	88.4	83.9 - 91.7	231
e. Reviewed health-related curricula or instructional materials	76.2	66.5 - 83.8	86	76.9	68.3 - 83.8	115	83.2	67.4 - 92.2	30	77.4	71.7 - 82.3	231
f. Assessed the availability of physical activity opportunities for students	80.5	70.4 - 87.8	86	84.1	76.4 - 89.6	114	89.4	72.2 - 96.4	30	83.4	78.0 - 87.7	230
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	48.2	38.5 - 58.0	85	40.5	31.9 - 49.7	114	62.6	49.0 - 74.4	29	46.0	40.0 - 52.1	228

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
71.1	63.0 - 78.0	121	59.1	52.5 - 65.5	185	41.0	31.6 - 51.0	45	61.1	56.5 - 65.5	351



## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	82.1	74.8 - 87.6	123	82.4	76.1 - 87.2	185	73.8	58.2 - 85.1	45	81.2	76.9 - 84.9	353
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	73.1	65.8 - 79.2	118	68.9	62.3 - 74.9	184	59.6	48.1 - 70.1	44	69.2	64.7 - 73.4	346

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N			Interval	N		Interval	N
47.8	40.5 - 55.1	120	21.6	16.1 - 28.2	184	14.5	9.8 - 20.9	45	29.8	25.8 - 34.2	349	

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	74.7	66.8 - 81.3	122	64.7	58.0 - 70.8	186	51.8	39.6 - 63.8	45	66.6	62.0 - 71.0	353
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	94.3	88.8 - 97.2	122	93.1	89.1 - 95.8	186	84.4	70.7 - 92.4	45	92.5	89.5 - 94.7	353
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	77.0	68.9 - 83.4	121	66.7	60.1 - 72.7	186	60.1	45.6 - 73.0	45	69.5	64.8 - 73.8	352
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	52.9	44.6 - 61.1	121	37.9	31.4 - 44.8	186	39.0	25.1 - 54.9	44	43.2	38.3 - 48.2	351
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	54.3	45.6 - 62.7	121	40.8	34.6 - 47.3	185	37.7	24.5 - 53.1	43	45.1	40.4 - 50.0	349



































































## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
i. Used attractive displays for fruits and vegetables in the cafeteria	74.7	66.2 - 81.6	117	68.0	60.7 - 74.5	179	59.8	47.6 - 71.0	44	69.3	64.3 - 73.9	340
j. Offered a self-serve salad bar to students	32.6	25.2 - 41.0	117	23.7	18.0 - 30.4	179	31.3	19.9 - 45.6	44	27.7	23.4 - 32.5	340
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	40.3	32.3 - 48.8	117	34.2	28.4 - 40.5	177	38.9	25.1 - 54.7	44	36.9	32.3 - 41.7	338
l. Encouraged students to drink plain water	79.9	73.0 - 85.4	116	78.6	71.9 - 84.1	179	77.8	63.7 - 87.5	44	79.0	74.5 - 82.8	339
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	49.9	42.3 - 57.5	117	36.7	30.3 - 43.7	178	45.4	31.7 - 59.9	44	42.4	37.7 - 47.3	339
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	40.4	32.5 - 48.9	116	33.6	27.3 - 40.5	172	37.2	24.7 - 51.6	43	36.4	31.7 - 41.4	331

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In the school building	69.1	60.8 - 76.3	121	68.0	60.9 - 74.4	179	72.9	58.4 - 83.8	44	69.0	64.0 - 73.6	344
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	58.7	50.0 - 66.8	121	65.1	58.0 - 71.7	179	68.4	52.9 - 80.6	44	63.2	58.1 - 68.1	344
c. On school buses or other vehicles used to transport students	68.2	60.2 - 75.3	121	70.7	63.4 - 77.0	179	72.9	58.4 - 83.8	44	70.1	65.1 - 74.6	344
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	60.6	52.1 - 68.5	121	63.8	56.6 - 70.4	179	68.0	52.4 - 80.4	44	63.2	58.1 - 68.0	344
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	64.3	55.9 - 72.0	120	62.9	55.5 - 69.7	179	64.1	49.3 - 76.6	44	63.5	58.4 - 68.4	343

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	78.1	71.2 - 83.7	120	74.2	67.7 - 79.8	179	84.1	72.7 - 91.2	44	76.8	72.5 - 80.6	343
b. Yes, in certain locations	18.7	13.8 - 24.9	120	20.5	15.5 - 26.6	179	13.7	7.4 - 24.0	44	19.0	15.7 - 23.0	343
c. No	3.2	1.2 - 7.9	120	5.3	3.0 - 9.2	179	2.3	0.4 - 13.3	44	4.2	2.6 - 6.6	343

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

33N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.8	92.1 - 98.8	120	94.7	90.8 - 97.0	179	97.7	86.7 - 99.6	44	95.8	93.4 - 97.4	343

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that offer a free source of drinking water in the following locations.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Cafeteria during breakfast	97.3	92.3 - 99.1	119	96.7	93.0 - 98.4	177	97.7	86.4 - 99.6	43	97.0	94.7 - 98.3	339
b. Cafeteria during lunch	97.3	92.3 - 99.1	119	96.7	93.0 - 98.4	177	97.7	86.4 - 99.6	43	97.0	94.7 - 98.3	339
c. Gymnasium or other indoor physical activity facilities	99.1	94.5 - 99.9	120	97.1	93.4 - 98.7	178	95.1	83.0 - 98.7	44	97.6	95.3 - 98.7	342
d. Outdoor physical activity facilities or sports fields	93.0	87.0 - 96.4	119	86.9	81.7 - 90.8	170	88.0	74.4 - 94.8	43	89.3	85.8 - 92.0	332
e. Hallways throughout the school	99.1	94.5 - 99.9	121	97.6	94.1 - 99.1	180	100.0	†	44	98.4	96.5 - 99.3	345

\*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
83.6	76.8 - 88.7	122	81.5	76.6 - 85.6	183	56.7	44.3 - 68.3	44	79.3	75.6 - 82.6	349

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
24.5	17.8 - 32.6	122	28.2	22.0 - 35.3	182	16.7	9.1 - 28.7	43	25.5	21.3 - 30.3	347

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
24.0	16.7 - 33.1	121	23.3	17.9 - 29.7	182	9.5	3.7 - 22.2	44	21.9	17.8 - 26.6	347



## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	1.4	0.4 - 4.9	120	0.0	†	181	0.0	†	44	0.5	0.1 - 1.8	345
b. HIV treatment (ongoing medical care for persons living with HIV)	0.7	0.1 - 4.2	120	0.0	†	181	0.0	†	44	0.2	0.0 - 1.5	345
c. STD testing	1.4	0.4 - 4.9	120	0.0	†	181	0.0	†	44	0.5	0.1 - 1.8	345
d. STD treatment	1.4	0.4 - 4.9	120	0.0	†	181	0.0	†	44	0.5	0.1 - 1.8	345
e. Pregnancy testing	1.4	0.4 - 4.9	120	0.7	0.1 - 4.0	180	0.0	†	44	0.8	0.3 - 2.4	344
f. Provision of condoms	1.6	0.4 - 5.7	120	0.0	†	181	0.0	†	44	0.5	0.1 - 2.0	345
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.7	0.1 - 4.3	119	0.0	†	181	0.0	†	44	0.2	0.0 - 1.5	344
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.7	0.1 - 4.3	119	0.0	†	181	2.3	0.4 - 13.3	44	0.5	0.1 - 1.9	344
i. Prenatal care	3.3	1.3 - 8.2	114	0.0	†	178	0.0	†	43	1.1	0.4 - 2.9	335

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
			N			N			N			N
j. Human papillomavirus (HPV) vaccine administration	2.3	0.8 - 6.5	120	2.7	1.2 - 6.2	181	0.0	†	44	2.2	1.2 - 4.3	345
k. Assessment for alcohol or other drug use, abuse, or dependency	27.4	20.5 - 35.5	119	26.4	20.5 - 33.4	181	18.2	9.1 - 33.2	44	25.8	21.5 - 30.6	344
l. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	84.1	77.1 - 89.3	119	86.7	81.3 - 90.7	181	84.6	70.6 - 92.6	44	85.5	81.6 - 88.7	344
m. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	65.0	56.3 - 72.9	119	74.3	67.9 - 79.8	180	70.9	57.1 - 81.7	44	70.6	65.9 - 75.0	343
n. Case management for students with chronic health conditions (e.g., asthma, diabetes)	77.5	69.6 - 83.8	116	76.2	69.8 - 81.6	177	62.7	46.0 - 76.9	42	75.0	70.4 - 79.2	335

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	33.7	25.0 - 43.7	104	17.5	12.5 - 24.0	159	14.7	6.6 - 29.6	41	22.7	18.4 - 27.7	304
b. HIV treatment (ongoing medical care for persons living with HIV)	39.0	30.2 - 48.6	119	25.4	19.5 - 32.3	179	15.5	7.4 - 29.6	44	29.0	24.3 - 34.1	342
c. nPEP (non-occupational post-exposure prophylaxis for HIV-- a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	34.9	26.4 - 44.5	119	23.5	18.0 - 30.2	179	15.5	7.4 - 29.6	44	26.5	22.1 - 31.5	342
d. STD testing	31.7	23.5 - 41.3	101	20.0	14.5 - 27.0	159	14.7	6.6 - 29.6	41	23.3	18.9 - 28.3	301
e. STD treatment	29.6	21.6 - 39.0	102	19.1	13.7 - 25.9	162	12.5	5.4 - 26.7	40	21.8	17.6 - 26.7	304
f. Pregnancy testing	32.5	24.1 - 42.3	96	22.2	16.7 - 28.8	153	15.4	7.0 - 30.5	39	24.8	20.4 - 29.8	288
g. Provision of condoms	21.4	14.6 - 30.3	107	14.8	10.3 - 20.8	169	9.4	3.6 - 22.4	43	16.3	12.7 - 20.7	319

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	20.6	14.0 - 29.3	106	12.3	8.4 - 17.7	169	9.4	3.6 - 22.4	43	14.7	11.4 - 18.9	318
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	20.6	14.0 - 29.3	106	14.7	10.2 - 20.6	169	11.7	4.9 - 25.4	43	16.3	12.7 - 20.6	318
j. Prenatal care	32.8	23.8 - 43.2	93	21.1	15.9 - 27.6	155	17.5	8.5 - 32.8	40	24.4	20.0 - 29.5	288
k. Human papillomavirus (HPV) vaccine administration	41.4	32.8 - 50.6	118	29.9	23.6 - 37.0	178	17.7	8.8 - 32.4	44	32.5	27.7 - 37.6	340
l. Alcohol or other drug abuse treatment	56.7	47.7 - 65.2	118	44.3	37.7 - 51.1	178	42.2	27.7 - 58.2	43	48.4	43.3 - 53.5	339

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
70.6	62.1 - 77.9	117	68.0	61.8 - 73.6	177	67.3	53.8 - 78.4	43	68.8	64.2 - 73.1	337

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	98.2	93.4 - 99.5	119	97.9	94.8 - 99.2	180	95.4	84.2 - 98.8	44	97.7	95.6 - 98.8	343
b. Food allergies	96.6	91.5 - 98.7	119	97.4	94.1 - 98.9	180	95.4	84.2 - 98.8	44	96.9	94.5 - 98.2	343
c. Diabetes	96.6	91.6 - 98.7	119	97.4	94.1 - 98.9	180	95.4	84.2 - 98.8	44	96.9	94.6 - 98.2	343
d. Epilepsy or seizure disorder	94.1	88.3 - 97.1	119	96.7	93.1 - 98.5	180	93.2	81.3 - 97.7	44	95.4	92.7 - 97.1	343
e. Obesity	42.6	33.9 - 51.8	119	43.3	36.3 - 50.5	180	36.3	23.6 - 51.4	44	42.2	37.1 - 47.5	343
f. Hypertension/high blood pressure	74.3	65.1 - 81.7	119	75.4	68.7 - 81.0	180	66.1	53.2 - 77.0	44	73.9	69.0 - 78.2	343
g. Oral health condition (e.g., abscess, tooth decay)	49.1	40.4 - 58.0	118	44.8	37.6 - 52.1	179	30.1	18.2 - 45.5	43	44.6	39.4 - 49.8	340

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	56.3	46.8 - 65.4	119	53.4	46.0 - 60.7	179	38.3	25.7 - 52.7	44	52.6	47.2 - 57.9	342
b. Food allergies	55.4	45.8 - 64.7	119	51.7	44.3 - 59.1	179	40.6	28.4 - 54.2	44	51.7	46.2 - 57.0	342
c. Diabetes	57.0	47.5 - 66.0	119	52.8	45.3 - 60.1	179	42.9	31.0 - 55.6	44	53.1	47.7 - 58.4	342
d. Epilepsy or seizure disorder	55.4	45.8 - 64.7	119	52.8	45.3 - 60.1	179	38.3	25.7 - 52.7	44	51.9	46.5 - 57.4	342
e. Obesity	45.9	36.5 - 55.5	119	42.7	36.4 - 49.3	179	26.9	15.8 - 41.7	44	41.9	36.9 - 47.1	342
f. Hypertension/high blood pressure	54.7	45.2 - 63.9	119	51.1	43.7 - 58.3	179	36.0	24.2 - 49.9	44	50.5	45.2 - 55.9	342
g. Oral health condition (e.g., abscess, tooth decay)	54.5	45.1 - 63.6	116	50.6	43.6 - 57.7	179	31.4	19.7 - 46.1	44	49.6	44.4 - 54.9	339

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not provide any sexual or reproductive health services	79.1	70.9 - 85.5	111	87.5	81.8 - 91.6	173	83.7	69.4 - 92.1	43	84.1	79.9 - 87.6	327
b. Parental consent is required before any sexual or reproductive health services are provided	15.8	10.6 - 23.0	111	10.3	6.6 - 15.6	173	16.3	7.9 - 30.6	43	12.9	9.9 - 16.8	327
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	1.7	0.5 - 6.3	111	1.7	0.6 - 4.7	173	0.0	†	43	1.5	0.6 - 3.3	327
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	0.7	0.1 - 4.6	111	0.0	†	173	0.0	†	43	0.3	0.0 - 1.6	327
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	2.6	0.9 - 7.5	111	0.6	0.1 - 3.4	173	0.0	†	43	1.2	0.5 - 3.0	327
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	0.0	†	111	0.0	†	173	0.0	†	43	0.0	†	327

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations



## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not refer any sexual or reproductive health services	49.5	39.1 - 59.8	89	67.6	59.6 - 74.6	144	75.7	57.7 - 87.7	37	62.6	56.7 - 68.2	270
b. Parental consent is required before any sexual or reproductive health services are referred	36.4	27.3 - 46.7	89	24.9	18.5 - 32.6	144	16.2	7.2 - 32.3	37	27.6	22.6 - 33.1	270
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request	2.5	0.7 - 8.7	89	2.0	0.7 - 5.6	144	0.0	†	37	1.9	0.8 - 4.2	270
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided	7.1	3.5 - 13.9	89	2.6	1.0 - 6.5	144	5.8	1.5 - 19.9	37	4.5	2.7 - 7.5	270
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided	2.1	0.6 - 7.6	89	2.3	0.8 - 6.6	144	2.4	0.4 - 13.8	37	2.2	1.0 - 4.8	270
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided	2.5	0.7 - 8.5	89	0.7	0.1 - 4.1	144	0.0	†	37	1.2	0.4 - 3.3	270

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	24.0	17.5 - 32.0	119	27.6	21.8 - 34.2	177	9.2	3.5 - 22.0	44	24.1	20.0 - 28.6	340
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	57.4	48.7 - 65.6	119	58.0	51.3 - 64.4	177	30.1	17.3 - 46.9	44	54.4	49.4 - 59.3	340
c. Involved parents as school volunteers in the delivery of health education activities and services	31.4	24.1 - 39.7	118	35.6	29.4 - 42.2	177	24.8	13.9 - 40.1	44	32.8	28.3 - 37.6	339
d. Linked parents and families to health services and programs in the community	74.3	66.4 - 80.8	118	71.3	64.7 - 77.1	174	53.3	38.9 - 67.2	44	70.1	65.4 - 74.4	336
e. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	48.7	40.9 - 56.7	115	49.0	42.0 - 56.0	172	36.7	24.1 - 51.5	44	47.3	42.4 - 52.3	331

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
83.0	75.2 - 88.7	119	86.3	81.3 - 90.2	176	84.6	70.6 - 92.6	44	84.9	81.0 - 88.2	339

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
42.0	34.7 - 49.6	117	43.2	37.0 - 49.6	178	24.9	15.6 - 37.5	44	40.5	36.2 - 45.1	339

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
69.1	60.9 - 76.3	119	54.0	46.7 - 61.1	177	47.0	33.7 - 60.6	43	58.5	53.5 - 63.4	339

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
86.3	78.6 - 91.5	119	87.7	82.0 - 91.8	175	79.4	68.2 - 87.4	44	86.2	82.2 - 89.4	338

## TEXAS

### 2018 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
68.6	59.1 - 76.7	119	57.1	49.8 - 64.2	176	58.5	42.8 - 72.6	44	61.4	56.0 - 66.5	339