
TEXAS
Youth Tobacco Survey

—◆—
2023



STATE REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 Prevalence Use Tables	2
Any Tobacco Products	3
Cigarettes	4
Other Tobacco Products	5
Cigars, Little Cigars, or Cigarillos	6
Smokeless or Spitless Tobacco	7
Tobacco in a Hookah or Water Pipe	8
Electronic Cigarettes or E-Cigarettes	9
Flavored Tobacco Products	10
2 Miscellaneous Tables	11
3 Margin Tables	15

Introduction

The Texas Department of State Health Services (DSHS) funds Tobacco Prevention and Control Coalitions (TPCC) throughout Texas. The goal of the community coalitions is to provide tobacco cessation and prevention activities. The Texas Youth Tobacco Survey (YTS) provides information to enhance the capacity to design, implement and evaluate the youth component of the TPCCs. The YTS provides data for students in grades 6-12 with respect to: prevalence of tobacco use (cigarettes, smokeless tobacco, cigars, hookah, flavored tobacco products, and e-cigarettes), exposure to environmental tobacco smoke (ETS), minors' access and enforcement, knowledge and attitudes, media and advertising, school curriculum, and tobacco use cessation.

DSHS incorporates data from the state sample into a larger database that includes historical data from previous Texas Youth Tobacco Surveys. Policy makers at the state level use this data to track trends in tobacco use so that they have up-to-date information on which to base decisions and establish prevention and cessation strategies. State level data is also used by those at the district and coalition level as a standard that they can compare their own data against – interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data for the entire state of Texas. It is divided into three major sections. The first section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous tobacco products and e-cigarettes covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The second section, titled “Miscellaneous Tables” provides data on related variables including age of first use, use on school property, perceptions of dangerousness, and ease/place of access. The final section, titled “Marginal Tables” details the number and percentage of students providing each response across all questions in the survey.

1 Prevalence Use Tables

Any Tobacco Products

Table T-1: Use of Any Tobacco Products, By Grade

	Past Month	Lifetime
All	9.0%	20.5%
Grade 6	6.0%	14.1%
Grade 7	6.8%	15.7%
Grade 8	7.3%	18.8%
Grade 9	9.4%	20.4%
Grade 10	10.3%	23.1%
Grade 11	11.5%	27.0%
Grade 12	14.0%	27.7%

Table T-2: Use of Any Tobacco Products, By School Level

	Past Month	Lifetime
Middle School	6.7%	16.3%
High School	11.1%	24.1%

Table T-3: Use of Any Tobacco Products, By Sex

	Past Month	Lifetime
Female	9.6%	21.0%
Male	8.5%	20.0%

Table T-4: Use of Any Tobacco Products, By Race

	Past Month	Lifetime
Hispanic or Latino	8.6%	19.9%
White, Non-Hispanic	9.5%	22.2%
Black or African American, Non-Hispanic	9.3%	19.2%
Other	9.8%	20.4%

Cigarettes

Table C-1: Use of Cigarettes, By Grade

	Past Month	Lifetime
All	3.1%	11.0%
Grade 6	2.9%	6.9%
Grade 7	2.7%	8.4%
Grade 8	2.4%	9.8%
Grade 9	2.7%	10.3%
Grade 10	3.1%	12.2%
Grade 11	3.3%	14.8%
Grade 12	4.9%	17.6%

Table C-2: Use of Cigarettes, By School Level

	Past Month	Lifetime
Middle School	2.7%	8.4%
High School	3.4%	13.4%

Table C-3: Use of Cigarettes, By Sex

	Past Month	Lifetime
Female	2.6%	10.4%
Male	3.4%	11.6%

Table C-4: Use of Cigarettes, By Race

	Past Month	Lifetime
Hispanic or Latino	3.2%	11.0%
White, Non-Hispanic	2.8%	12.0%
Black or African American, Non-Hispanic	3.2%	8.7%
Other	3.0%	11.2%

Other Tobacco Products

Table O-1: Use of Other Tobacco Products, By Grade

	Past Month	Lifetime
All	8.3%	15.6%
Grade 6	5.0%	9.6%
Grade 7	6.0%	11.5%
Grade 8	6.8%	14.5%
Grade 9	8.8%	15.8%
Grade 10	10.0%	18.8%
Grade 11	10.6%	20.9%
Grade 12	12.9%	21.5%

Table O-2: Use of Other Tobacco Products, By School Level

	Past Month	Lifetime
Middle School	5.9%	11.9%
High School	10.4%	19.0%

Table O-3: Use of Other Tobacco Products, By Sex

	Past Month	Lifetime
Female	9.0%	16.6%
Male	7.7%	14.8%

Table O-4: Use of Other Tobacco Products, By Race

	Past Month	Lifetime
Hispanic or Latino	7.8%	15.1%
White, Non-Hispanic	9.2%	17.3%
Black or African American, Non-Hispanic	8.1%	13.8%
Other	9.2%	16.3%

Cigars, Little Cigars, or Cigarillos

Table G-1: Use of Cigars, Little Cigars, or Cigarillos, By Grade

	Past Month	Lifetime
All	2.1%	5.0%
Grade 6	1.1%	2.5%
Grade 7	1.5%	3.4%
Grade 8	1.5%	4.1%
Grade 9	1.9%	4.7%
Grade 10	2.7%	6.2%
Grade 11	3.0%	7.3%
Grade 12	3.3%	8.1%

Table G-2: Use of Cigars, Little Cigars, or Cigarillos, By School Level

	Past Month	Lifetime
Middle School	1.4%	3.4%
High School	2.7%	6.4%

Table G-3: Use of Cigars, Little Cigars, or Cigarillos, By Sex

	Past Month	Lifetime
Female	1.6%	3.8%
Male	2.5%	6.2%

Table G-4: Use of Cigars, Little Cigars, or Cigarillos, By Race

	Past Month	Lifetime
Hispanic or Latino	1.9%	4.5%
White, Non-Hispanic	2.0%	5.7%
Black or African American, Non-Hispanic	3.1%	5.6%
Other	2.0%	5.3%

Smokeless or Spitless Tobacco

Table S-1: Use of Smokeless or Spitless Tobacco, By Grade

	Past Month	Lifetime
All	1.5%	4.1%
Grade 6	1.0%	2.4%
Grade 7	1.5%	3.3%
Grade 8	0.8%	3.5%
Grade 9	1.6%	3.9%
Grade 10	1.7%	4.8%
Grade 11	1.9%	6.2%
Grade 12	2.7%	5.4%

Table S-2: Use of Smokeless or Spitless Tobacco, By School Level

	Past Month	Lifetime
Middle School	1.1%	3.1%
High School	1.9%	5.0%

Table S-3: Use of Smokeless or Spitless Tobacco, By Sex

	Past Month	Lifetime
Female	1.0%	2.5%
Male	2.0%	5.6%

Table S-4: Use of Smokeless or Spitless Tobacco, By Race

	Past Month	Lifetime
Hispanic or Latino	1.2%	3.2%
White, Non-Hispanic	1.9%	6.1%
Black or African American, Non-Hispanic	1.7%	3.0%
Other	2.1%	5.1%

Tobacco in a Hookah or Water Pipe

Table H-1: Use of Tobacco in a Hookah or Water Pipe, By Grade

	Past Month	Lifetime
All	1.4%	3.1%
Grade 6	1.0%	1.9%
Grade 7	1.2%	2.4%
Grade 8	1.0%	2.6%
Grade 9	1.2%	2.9%
Grade 10	1.5%	3.4%
Grade 11	1.9%	3.9%
Grade 12	2.6%	5.2%

Table H-2: Use of Tobacco in a Hookah or Water Pipe, By School Level

	Past Month	Lifetime
Middle School	1.1%	2.3%
High School	1.7%	3.7%

Table H-3: Use of Tobacco in a Hookah or Water Pipe, By Sex

	Past Month	Lifetime
Female	1.2%	2.7%
Male	1.6%	3.4%

Table H-4: Use of Tobacco in a Hookah or Water Pipe, By Race

	Past Month	Lifetime
Hispanic or Latino	1.4%	2.9%
White, Non-Hispanic	1.1%	2.7%
Black or African American, Non-Hispanic	2.2%	4.0%
Other	2.3%	4.3%

Electronic Cigarettes or E-Cigarettes

Table E-1: Use of Electronic Cigarettes or E-Cigarettes, By Grade

	Past Month	Lifetime
All	7.4%	13.8%
Grade 6	4.2%	7.5%
Grade 7	5.4%	9.7%
Grade 8	5.7%	12.6%
Grade 9	8.1%	13.8%
Grade 10	8.7%	16.9%
Grade 11	9.7%	18.6%
Grade 12	12.1%	20.1%

Table E-2: Use of Electronic Cigarettes or E-Cigarettes, By School Level

	Past Month	Lifetime
Middle School	5.1%	10.0%
High School	9.5%	17.1%

Table E-3: Use of Electronic Cigarettes or E-Cigarettes, By Sex

	Past Month	Lifetime
Female	8.4%	15.3%
Male	6.5%	12.3%

Table E-4: Use of Electronic Cigarettes or E-Cigarettes, By Race

	Past Month	Lifetime
Hispanic or Latino	7.1%	13.5%
White, Non-Hispanic	8.0%	14.8%
Black or African American, Non-Hispanic	6.8%	11.8%
Other	8.5%	14.2%

Flavored Tobacco Products

Table F-1: Use of Flavored Tobacco Products, By Grade

	Past Month	Lifetime
All	4.1%	8.1%
Grade 6	2.4%	5.0%
Grade 7	3.0%	5.4%
Grade 8	3.5%	7.5%
Grade 9	4.1%	8.1%
Grade 10	4.6%	9.3%
Grade 11	5.6%	11.1%
Grade 12	6.3%	11.8%

Table F-2: Use of Flavored Tobacco Products, By School Level

	Past Month	Lifetime
Middle School	3.0%	6.0%
High School	5.0%	9.9%

Table F-3: Use of Flavored Tobacco Products, By Sex

	Past Month	Lifetime
Female	4.3%	8.4%
Male	3.9%	7.7%

Table F-4: Use of Flavored Tobacco Products, By Race

	Past Month	Lifetime
Hispanic or Latino	3.7%	7.6%
White, Non-Hispanic	4.5%	9.0%
Black or African American, Non-Hispanic	4.8%	8.6%
Other	4.7%	7.9%

2 Miscellaneous Tables

Table M-1: Have You Ever Tried Using - Overall

Q15	No - Never Heard of It	No	Yes
Smokeless/Spitless Tobacco	50.2%	46.3%	3.5%
Cigars/Little Cigars/Cigarillos	47.2%	48.4%	4.4%
Hookah or Water Pipe	51.7%	45.8%	2.5%
E-Cigarettes	39.2%	47.8%	13.0%
Flavored Tobacco Products	43.2%	49.5%	7.3%

Table M-2: Have You Ever Tried Using - Middle School

Q15	No - Never Heard of It	No	Yes
Smokeless/Spitless Tobacco	56.2%	41.2%	2.6%
Cigars/Little Cigars/Cigarillos	52.4%	44.8%	2.8%
Hookah or Water Pipe	58.1%	40.1%	1.8%
E-Cigarettes	44.4%	46.2%	9.4%
Flavored Tobacco Products	48.5%	46.1%	5.4%

Table M-3: Have You Ever Tried Using - High School

Q15	No - Never Heard of It	No	Yes
Smokeless/Spitless Tobacco	44.8%	50.9%	4.3%
Cigars/Little Cigars/Cigarillos	42.7%	51.5%	5.7%
Hookah or Water Pipe	46.1%	50.9%	3.0%
E-Cigarettes	34.7%	49.1%	16.2%
Flavored Tobacco Products	38.5%	52.4%	9.0%

Table M-4: During the Past 30 Days, On How Many Days Did You Smoke Cigarettes on School Property?

Q10B	Percent
0 Days	99.1%
1 to 2 Days	0.4%
3 to 9 Days	0.2%
10 to 29 Days	0.1%
All 30 Days	0.3%

Table M-5: How Old Were You When You Smoked a Whole Cigarette for the First Time?

Q8	Percent
I Have Never Smoked a Whole Cigarette	93.1%
7 Years Old or Younger	0.7%
8 or 9 Years Old	0.5%
10 or 11 Years Old	1.1%
12 or 13 Years Old	1.7%
14 or 15 Years Old	1.7%
16 or 17 Years Old	1.0%
18 Years Old or Older	0.3%

Table M-6: How Many of Your Closest Friends Use...

Q30	None	A Few	Some	Most	All	Not Sure
Cigarettes	71.1%	10.4%	3.6%	1.2%	0.6%	13.0%
Smokeless/Spitless Tobacco	76.3%	6.1%	2.4%	0.8%	0.5%	13.9%
Cigars/Little Cigars/Cigarillos	73.9%	6.6%	3.2%	1.4%	0.7%	14.2%
E-Cigarettes	53.0%	16.8%	9.7%	7.0%	1.8%	11.7%

Table M-7: How Dangerous Do You Think It Is for a Person Your Age to Use...

Q28	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not Dangerous at All
Cigarettes	71.0%	24.4%	3.1%	1.5%
Smokeless/Spitless Tobacco	70.5%	23.3%	4.6%	1.7%
Cigars/Little Cigars/Cigarillos	71.5%	22.0%	4.6%	1.9%
Hookah or Water Pipe	71.2%	22.4%	4.5%	1.8%
E-Cigarettes	69.0%	22.4%	6.4%	2.3%
Flavored Tobacco Products	67.4%	24.7%	5.6%	2.2%
Alcohol	55.6%	27.3%	12.3%	4.8%

Table M-8: How Easy is it for People Your Age to Obtain Tobacco Products in Your Community?

Q22	Percent
Very Easy	20.6%
Easy	24.2%
Difficult	4.0%
Very Difficult	2.6%
Don't Know	48.5%

Table M-9: During the Past 30 Days, Where Did You Buy Your Own Tobacco Products?

Q21	Percent
I Did Not Use Tobacco Products in the Past 30 Days	93.7%
I Did Not Buy Tobacco Products in the Past 30 Days, but I Got Them from Someone Else	15.9%
A Gas Station	1.7%
A Convenience Store	1.1%
A Grocery Store	0.7%
A Drug Store	1.0%
A Vending Machine	0.6%
Over the Internet	1.0%
Some Other Place Not Listed Here	2.7%

Table M-10: During This School Year...

Q34	No	Yes
Did You Practice in Any of Your Classes Ways to Say No to Tobacco?	74.4%	25.6%
Were You Taught in Any of Your Classes That Most People Your Age Do Not Use Tobacco Products?	63.1%	36.9%
Has What You Have Learned in School Helped You Feel it is Okay to Say No to Friends Who Offer You Tobacco Products?	39.2%	60.8%

3 Margin Tables

**2023
State Report**

Age

Q1	Frequency	Percent
11 Years Old or Younger	140,943	5.5%
12 Years Old	370,504	14.5%
13 Years Old	410,685	16.0%
14 Years Old	411,214	16.1%
15 Years Old	377,068	14.7%
16 Years Old	348,500	13.6%
17 Years Old	311,424	12.2%
18 Years Old or Older	190,964	7.5%
Frequency Missing	5,306	

Gender

Q2	Frequency	Percent
Female	1,241,781	49.0%
Male	1,290,535	51.0%
Frequency Missing	34,292	

Grade

Q3	Frequency	Percent
6th Grade	380,699	15.0%
7th Grade	392,796	15.5%
8th Grade	409,158	16.1%
9th Grade	402,521	15.9%
10th Grade	359,077	14.1%
11th Grade	298,414	11.8%
12th Grade	295,179	11.6%
Frequency Missing	28,763	

Hispanic or Latino

Q4	Frequency	Percent
Not Hispanic or Latino	1,097,832	43.5%
Hispanic or Latino	1,428,162	56.5%
Frequency Missing	40,614	

**2023
State Report**

Race

Q4a	Frequency	Percent
American Indian or Alaska Native	88,416	3.7%
Asian American	67,932	2.8%
Black or African American	309,058	12.8%
Native Hawaiian or Other Pacific Islander	17,585	0.7%
White	1,241,114	51.6%
More Than One Race	682,921	28.4%
Frequency Missing	159,582	

Average Grades

Q5	Frequency	Percent
Mostly A's	967,826	38.2%
Mostly B's	1,179,293	46.5%
Mostly C's	333,772	13.2%
Mostly D's	37,070	1.5%
Mostly F's	18,373	0.7%
Frequency Missing	30,273	

Qualify for Free/Reduced Lunch

Q6	Frequency	Percent
I Don't Know	946,875	37.1%
No	546,221	21.4%
Yes	1,058,887	41.5%
Frequency Missing	14,625	

Tried in Lifetime - Cigarettes

Q7	Frequency	Percent
No	2,271,184	90.3%
Yes	243,733	9.7%
Frequency Missing	51,691	

Age When First Used Cigarettes

Q8	Frequency	Percent
I Have Never Smoked a Whole Cigarette	2,335,910	93.1%
7 Years Old or Younger	16,393	0.7%
8 or 9 Years Old	11,792	0.5%
10 or 11 Years Old	28,561	1.1%
12 or 13 Years Old	42,306	1.7%
14 or 15 Years Old	42,240	1.7%
16 or 17 Years Old	24,244	1.0%
18 Years Old or Older	8,068	0.3%
Frequency Missing	57,094	

Used Substance Daily for 30 Days - Cigarettes

Q9	Frequency	Percent
No	2,470,276	98.8%
Yes	31,143	1.2%
Frequency Missing	65,189	

Frequency of Use in Past 30 Days - Cigarettes

Q10a	Frequency	Percent
0 Days	2,441,042	97.7%
1 to 2 Days	32,251	1.3%
3 to 9 Days	11,725	0.5%
10 to 29 Days	4,674	0.2%
All 30 Days	9,156	0.4%
Frequency Missing	67,759	

Frequency of Use in Past 30 Days - Cigarettes at School

Q10b	Frequency	Percent
0 Days	2,416,076	99.1%
1 to 2 Days	9,806	0.4%
3 to 9 Days	4,059	0.2%
10 to 29 Days	2,170	0.1%
All 30 Days	6,865	0.3%
Frequency Missing	127,632	

Number of Cigarettes Daily in Past 30 Days

Q11	Frequency	Percent
I Did Not Smoke Cigarette in Past 30 Days	2,441,253	97.6%
Less Than 1 Cigarette Per Day	24,437	1.0%
1 Cigarette per Day	8,953	0.4%
2 to 5 Cigarettes per Day	11,970	0.5%
6 to 10 Cigarettes per Day	4,002	0.2%
11 to 20 Cigarettes per Day	2,815	0.1%
More Than 20 Cigarettes per Day	7,181	0.3%
Frequency Missing	65,996	

Cigarettes Usually Smoked are Menthol

Q12	Frequency	Percent
I Do Not Smoke Cigarettes	2,365,855	93.7%
No	114,716	4.5%
Yes	43,153	1.7%
Frequency Missing	42,883	

Plan to Quit Smoking in Next Six Months

Q13	Frequency	Percent
I Do Not Smoke Cigarettes	2,416,663	95.6%
No	61,067	2.4%
Yes	51,119	2.0%
Frequency Missing	37,758	

Plan to Quit Electronic Vapor Products in Next Six Months

Q14	Frequency	Percent
I Do Not Use Electronic Cigarettes	356,259	90.0%
No	22,384	5.7%
Yes	17,411	4.4%
Frequency Missing	2,170,554	

Tried in Lifetime - Chewing Tobacco

Q15a	Frequency	Percent
No - Never Heard of It	1,254,670	50.2%
No	1,158,656	46.3%
Yes	88,082	3.5%
Frequency Missing	65,199	

Tried in Lifetime - Cigars

Q15b	Frequency	Percent
No - Never Heard of It	1,175,780	47.2%
No	1,204,274	48.4%
Yes	108,724	4.4%
Frequency Missing	77,829	

Tried in Lifetime - Hookah

Q15c	Frequency	Percent
No - Never Heard of It	1,276,665	51.7%
No	1,130,943	45.8%
Yes	60,650	2.5%
Frequency Missing	98,350	

Tried in Lifetime - Electronic Vapor Products

Q15d	Frequency	Percent
No - Never Heard of It	977,336	39.2%
No	1,189,743	47.8%
Yes	323,661	13.0%
Frequency Missing	75,867	

Tried in Lifetime - Flavored Tobacco Products

Q15e	Frequency	Percent
No - Never Heard of It	1,071,865	43.2%
No	1,226,414	49.5%
Yes	181,443	7.3%
Frequency Missing	86,886	

Frequency of Use in Past 30 Days - Chewing Tobacco

Q16a	Frequency	Percent
0 Days	2,445,083	98.5%
1 to 2 Days	12,854	0.5%
3 to 9 Days	8,390	0.3%
10 to 29 Days	2,713	0.1%
All 30 Days	13,987	0.6%
Frequency Missing	83,581	

Frequency of Use in Past 30 Days - Cigars

Q16b	Frequency	Percent
0 Days	2,421,511	97.9%
1 to 2 Days	22,311	0.9%
3 to 9 Days	10,610	0.4%
10 to 29 Days	3,819	0.2%
All 30 Days	14,431	0.6%
Frequency Missing	93,926	

Frequency of Use in Past 30 Days - Hookah

Q16c	Frequency	Percent
0 Days	2,421,316	98.6%
1 to 2 Days	12,355	0.5%
3 to 9 Days	6,844	0.3%
10 to 29 Days	3,180	0.1%
All 30 Days	13,129	0.5%
Frequency Missing	109,784	

Frequency of Use in Past 30 Days - Electronic Vapor Product

Q16d	Frequency	Percent
0 Days	2,291,698	92.5%
1 to 2 Days	69,047	2.8%
3 to 9 Days	40,432	1.6%
10 to 29 Days	29,852	1.2%
All 30 Days	45,641	1.8%
Frequency Missing	89,937	

Frequency of Use in Past 30 Days - Flavored Tobacco Products

Q16e	Frequency	Percent
0 Days	2,354,980	95.9%
1 to 2 Days	39,835	1.6%
3 to 9 Days	19,786	0.8%
10 to 29 Days	13,859	0.6%
All 30 Days	27,698	1.1%
Frequency Missing	110,449	

Used in Lifetime - Any Tobacco Product at School

Q17	Frequency	Percent
No	2,307,443	96.0%
Yes	96,049	4.0%
Frequency Missing	163,115	

Likelihood of Tobacco Use in Next Year

Q18a	Frequency	Percent
Definitely Yes	46,813	1.9%
Probably Yes	77,433	3.1%
Probably Not	311,113	12.4%
Definitely Not	2,012,561	80.5%
I Already Use Tobacco Products	52,838	2.1%
Frequency Missing	65,849	

Likelihood of Tobacco Use in Next Year if Friend Offers

Q18b	Frequency	Percent
Definitely Yes	54,185	2.2%
Probably Yes	121,743	4.9%
Probably Not	355,938	14.3%
Definitely Not	1,912,770	76.9%
I Already Use Tobacco Products	43,509	1.7%
Frequency Missing	78,463	

Knowledge of Texas Laws - What is Legal Age to Buy Tobacco

Q19	Frequency	Percent
Less Than 16 Years Old	43,413	1.7%
16 Years Old	21,293	0.9%
17 Years Old	12,915	0.5%
18 Years Old	348,511	14.0%
19 Years Old	17,008	0.7%
20 Years Old	28,134	1.1%
21 Years Old or Older	1,197,188	47.9%
Not Sure	829,333	33.2%
Frequency Missing	68,813	

Knowledge of Texas Laws - Can Minors Be Fined for Possessing Tobacco

Q20a	Frequency	Percent
Not Sure	1,460,837	58.8%
No	134,824	5.4%
Yes	888,593	35.8%
Frequency Missing	82,353	

Knowledge of Texas Laws - Can Drivers License Be Suspended for Minor Possessing

Q20b	Frequency	Percent
Not Sure	1,401,487	56.7%
No	202,789	8.2%
Yes	865,899	35.1%
Frequency Missing	96,432	

Source of Tobacco in Past 30 Days - None

Q21a	Frequency	Percent
No	150,621	6.3%
Yes	2,248,227	93.7%
Frequency Missing	167,760	

Source of Tobacco in Past 30 Days - A Person

Q21b	Frequency	Percent
No	2,016,846	84.1%
Yes	382,002	15.9%
Frequency Missing	167,760	

Source of Tobacco in Past 30 Days - A Gas Station

Q21c	Frequency	Percent
No	2,358,606	98.3%
Yes	40,241	1.7%
Frequency Missing	167,760	

Source of Tobacco in Past 30 Days - A Convenience Store

Q21d	Frequency	Percent
No	2,371,971	98.9%
Yes	26,876	1.1%
Frequency Missing	167,760	

Source of Tobacco in Past 30 Days - A Grocery Store

Q21e	Frequency	Percent
No	2,381,556	99.3%
Yes	17,292	0.7%
Frequency Missing	167,760	

Source of Tobacco in Past 30 Days - A Drug Store

Q21f	Frequency	Percent
No	2,374,479	99.0%
Yes	24,368	1.0%
Frequency Missing	167,760	

Source of Tobacco in Past 30 Days - A Vending Machine

Q21g	Frequency	Percent
No	2,383,480	99.4%
Yes	15,367	0.6%
Frequency Missing	167,760	

Source of Tobacco in Past 30 Days - The Internet

Q21h	Frequency	Percent
No	2,375,144	99.0%
Yes	23,703	1.0%
Frequency Missing	167,760	

Source of Tobacco in Past 30 Days - Other Source

Q21i	Frequency	Percent
No	2,334,677	97.3%
Yes	64,171	2.7%
Frequency Missing	167,760	

How Difficult to Get Tobacco Products

Q22	Frequency	Percent
Very Easy	512,734	20.6%
Easy	601,405	24.2%
Difficult	100,633	4.0%
Very Difficult	64,258	2.6%
Don't Know	1,205,776	48.5%
Frequency Missing	81,802	

Barrier to Purchase in Past Month - Asked to See ID

Q23a	Frequency	Percent
I Did Not Try to Buy Tobacco Products in the Past 30 Days	2,162,458	87.9%
No	265,492	10.8%
Yes	33,260	1.4%
Frequency Missing	105,398	

Barrier to Purchase in Past Month - Refused Sale

Q23b	Frequency	Percent
I Did Not Try to Buy Tobacco Products in the Past 30 Days	2,148,191	87.9%
No	258,664	10.6%
Yes	36,238	1.5%
Frequency Missing	123,515	

Parents or Guardians Know of Tobacco Use

Q24	Frequency	Percent
I Do Not Use Tobacco Products	2,135,234	86.6%
No	228,142	9.3%
Yes	100,974	4.1%
Frequency Missing	102,257	

Parents or Guardians Say Not to Use Tobacco

Q25	Frequency	Percent
No	297,242	12.1%
Yes	2,152,122	87.9%
Frequency Missing	117,244	

In Past Year How Often Parents Discussed Tobacco Dangers

Q26	Frequency	Percent
Never	655,824	26.7%
Rarely	679,992	27.7%
Sometimes	704,703	28.7%
Often	262,919	10.7%
Very Often	152,176	6.2%
Frequency Missing	110,995	

Opinion on Smoking in Indoor Public Places

Q27	Frequency	Percent
Should Not Be Allowed in Any Indoor Places	1,310,942	55.1%
Should Be Allowed Only in Smoking Area	1,011,506	42.5%
Should Be Allowed in All Indoor Places	56,597	2.4%
Frequency Missing	187,563	

Opinion on How Dangerous to Use - Cigarettes

Q28a	Frequency	Percent
Very Dangerous	1,717,458	71.0%
Somewhat Dangerous	590,037	24.4%
Not Very Dangerous	73,898	3.1%
Not Dangerous at All	37,019	1.5%
Frequency Missing	148,196	

Opinion on How Dangerous to Use - Chewing Tobacco

Q28b	Frequency	Percent
Very Dangerous	1,702,425	70.5%
Somewhat Dangerous	561,785	23.3%
Not Very Dangerous	111,430	4.6%
Not Dangerous at All	40,505	1.7%
Frequency Missing	150,462	

Opinion on How Dangerous to Use - Cigars

Q28c	Frequency	Percent
Very Dangerous	1,726,574	71.5%
Somewhat Dangerous	532,160	22.0%
Not Very Dangerous	111,091	4.6%
Not Dangerous at All	45,284	1.9%
Frequency Missing	151,499	

Opinion on How Dangerous to Use - Hookah

Q28d	Frequency	Percent
Very Dangerous	1,708,853	71.2%
Somewhat Dangerous	538,094	22.4%
Not Very Dangerous	108,048	4.5%
Not Dangerous at All	43,799	1.8%
Frequency Missing	167,812	

Opinion on How Dangerous to Use - Electronic Vapor Products

Q28e	Frequency	Percent
Very Dangerous	1,662,475	69.0%
Somewhat Dangerous	538,960	22.4%
Not Very Dangerous	155,135	6.4%
Not Dangerous at All	54,380	2.3%
Frequency Missing	155,657	

Opinion on How Dangerous to Use - Flavored Tobacco Products

Q28f	Frequency	Percent
Very Dangerous	1,626,006	67.4%
Somewhat Dangerous	597,005	24.7%
Not Very Dangerous	135,831	5.6%
Not Dangerous at All	53,775	2.2%
Frequency Missing	153,989	

Opinion on How Dangerous to Use - Alcohol

Q28g	Frequency	Percent
Very Dangerous	1,340,627	55.6%
Somewhat Dangerous	658,820	27.3%
Not Very Dangerous	297,315	12.3%
Not Dangerous at All	114,725	4.8%
Frequency Missing	155,120	

In Past Year Talked About Dangers to Tobacco with a Doctor

Q29a	Frequency	Percent
I Did Not Visit a Doctor's/Dentist's Office in Past 30 Days	557,454	23.1%
No	1,134,890	46.9%
Yes	726,072	30.0%
Frequency Missing	148,192	

In Past Year Talked About Dangers to Tobacco with a Dentist

Q29b	Frequency	Percent
I Did Not Visit a Doctor's/Dentist's Office in Past 30 Days	586,555	24.4%
No	1,332,287	55.5%
Yes	482,131	20.1%
Frequency Missing	165,634	

How Many Friends Use - Cigarettes

Q30a	Frequency	Percent
None	1,716,924	71.1%
A Few	251,820	10.4%
Some	87,082	3.6%
Most	29,302	1.2%
All	14,143	0.6%
Not Sure	315,067	13.0%
Frequency Missing	152,269	

How Many Friends Use - Chewing Tobacco

Q30b	Frequency	Percent
None	1,833,260	76.3%
A Few	146,532	6.1%
Some	57,376	2.4%
Most	19,882	0.8%
All	12,060	0.5%
Not Sure	334,342	13.9%
Frequency Missing	163,155	

How Many Friends Use - Electronic Vapor Products

Q30c	Frequency	Percent
None	1,276,477	53.0%
A Few	405,599	16.8%
Some	232,600	9.7%
Most	169,029	7.0%
All	44,262	1.8%
Not Sure	280,898	11.7%
Frequency Missing	157,742	

How Many Friends Use - Cigars

Q30d	Frequency	Percent
None	1,777,074	73.9%
A Few	159,705	6.6%
Some	76,380	3.2%
Most	33,854	1.4%
All	16,391	0.7%
Not Sure	341,474	14.2%
Frequency Missing	161,730	

In Past Week How Often in Same Room with Smoker

Q31a	Frequency	Percent
0 Days	1,900,373	79.1%
1 or 2 Days	269,349	11.2%
3 or 4 Days	73,078	3.0%
5 or 6 Days	38,511	1.6%
7 Days	122,224	5.1%
Frequency Missing	163,073	

In Past Week How Often in Car with Smoker

Q31b	Frequency	Percent
0 Days	2,032,338	85.0%
1 or 2 Days	169,012	7.1%
3 or 4 Days	58,264	2.4%
5 or 6 Days	27,951	1.2%
7 Days	103,466	4.3%
Frequency Missing	175,577	

Someone Who Lives in Home Smokes Cigarettes

Q32	Frequency	Percent
No	1,854,589	77.1%
Yes	551,485	22.9%
Frequency Missing	160,534	

In Past Year Involved in School Tobacco Prevention Activity

Q33	Frequency	Percent
No	1,825,671	76.7%
Yes	554,062	23.3%
Frequency Missing	186,875	

In Past Year Practiced in Class Saying No to Tobacco

Q34a	Frequency	Percent
No	1,774,388	74.4%
Yes	611,020	25.6%
Frequency Missing	181,199	

In Past Year Taught in Class Most People Your Age Don't Use Tobacco

Q34b	Frequency	Percent
No	1,499,933	63.1%
Yes	877,174	36.9%
Frequency Missing	189,501	

In Past Year What Learned in Class Helped Say No to Friends Offering Tobacco

Q34c	Frequency	Percent
No	929,721	39.2%
Yes	1,440,523	60.8%
Frequency Missing	196,364	

In Past Year Seen Anti-Tobacco TV Ad

Q35a	Frequency	Percent
No	1,024,517	43.5%
Yes	1,332,445	56.5%
Frequency Missing	209,646	

In Past Year Seen Anti-Tobacco Social Media Ad

Q35b	Frequency	Percent
No	867,837	36.8%
Yes	1,491,859	63.2%
Frequency Missing	206,911	

In Past Year Seen Anti-Tobacco Gas Station Ad

Q35c	Frequency	Percent
No	1,604,315	69.4%
Yes	708,683	30.6%
Frequency Missing	253,610	

In Past Year Heard Anti-Tobacco Radio Ad

Q35d	Frequency	Percent
No	1,500,511	64.6%
Yes	820,689	35.4%
Frequency Missing	245,408	

In Past Year Seen Anti-Tobacco Ad Elsewhere

Q35e	Frequency	Percent
No	1,448,974	64.4%
Yes	800,109	35.6%
Frequency Missing	317,524	

Seen Ads for Texas Quit Line

Q36	Frequency	Percent
I Don't Know	1,015,824	42.5%
No	862,789	36.1%
Yes	513,717	21.5%
Frequency Missing	174,278	

Seen Tobacco Promotions on Social Media

Q37	Frequency	Percent
I Don't Use Social Media	216,346	9.0%
Always	162,440	6.8%
Sometimes	684,486	28.5%
Rarely	727,862	30.3%
Never	614,778	25.6%
Frequency Missing	160,695	

Seen Tobacco Cessation Posts on Social Media

Q38	Frequency	Percent
I Don't Use Social Media	215,734	9.0%
Always	265,588	11.0%
Sometimes	910,364	37.8%
Rarely	586,630	24.4%
Never	430,625	17.9%
Frequency Missing	157,667	