

**TABLE V**  
**REPORTED DISEASES BY AGE GROUP<sup>1</sup>**  
**CASES PER 100,000 POPULATION<sup>2</sup> 2010**

	405,471	1,581,862	1,862,632	1,672,770	1,810,902	3,878,799	3,824,789	3,593,236	3,075,101	3,658,335	25,373,947
DISEASE	<1	1-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60+	TOTAL
AMEBIASIS	0.0	0.4	0.7	0.6	0.4	1.4	1.3	0.9	0.7	0.2	0.8
AMEBIC CNS	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
ANAPLASMA PHAGOCYTOPHILUM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
BOTULISM, INFANT <sup>3</sup>	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0
BRUCELLOSIS	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
CAMPYLOBACTERIOSIS	24.7	22.2	10.4	7.4	6.2	5.6	5.4	5.6	6.1	8.3	7.9
CHICKENPOX (VARICELLA)	41.2	32.4	49.7	38.8	7.6	3.0	2.6	1.8	1.1	1.3	10.9
CHOLERA	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CREUTZFELDT-JAKOB DISEASE	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.5	0.1
CRYPTOSPORIDIOSIS	1.2	3.6	2.9	0.8	0.6	1.3	1.0	1.3	0.8	1.4	1.4
CYCLOSPORIASIS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0
CYSTICERCOSIS	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0
DENGUE	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1
EHRLICHIA CHAFFEENSIS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EHLICHIOSIS/ANAPLASMOSIS - UNDETERMINED	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ENCEPHALITIS, CALIFORNIA	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ENCEPHALITIS, NONARBOVIRAL	0.0	0.0	0.2	0.1	0.1	0.0	0.0	0.0	0.2	0.1	0.1
ESCHERICHIA COLI, SHIGA TOXIN-PRODUCING (STEC)	7.6	9.7	1.8	1.3	1.3	0.7	0.4	0.4	0.5	0.5	1.4
HAEMOPHILUS INFLUENZAE TYPE B, INVASIVE	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0
HANTAVIRUS PULMONARY SYNDROME	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HEMOLYTIC UREMIC SYNDROME	0.2	0.7	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1
HEPATITIS A, ACUTE	0.0	0.1	0.2	0.2	0.6	0.6	0.6	0.5	0.5	1.1	0.5
HEPATITIS B, ACUTE	0.0	0.1	0.1	0.2	0.1	1.0	2.2	2.6	3.0	2.1	1.6
HEPATITIS B, PERINATAL <sup>4</sup>	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
HEPATITIS C, ACUTE	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.4	0.2	0.1
HEPATITIS D, ACUTE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
INFLUENZA-ASSOCIATED PEDIATRIC MORTALITY <sup>5</sup>	0.2	0.1	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.1
JAPANESE ENCEPHALITIS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LEGIONELLOSIS	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.6	1.0	2.0	0.5
LISTERIOSIS	0.7	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.3	0.9	0.2
LYME DISEASE	0.0	0.1	0.2	0.3	0.3	0.4	0.8	0.9	0.8	0.6	0.6
MALARIA	0.0	0.1	0.1	0.3	0.3	0.5	0.5	0.5	0.7	0.1	0.4
MENINGITIS, ASEPTIC	108.0	4.1	8.1	7.6	6.2	6.0	5.0	3.8	3.3	3.0	6.6
BACTERIAL MENINGITIS	21.7	1.5	0.6	0.7	0.6	0.8	0.8	1.0	1.9	2.2	1.5
OTHER MENINGITIS	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.5	0.5	0.3	0.3
MENINGOCOCCAL INFECTION	2.2	0.2	0.1	0.1	0.4	0.2	0.3	0.2	0.1	0.3	0.2
MUMPS	0.2	1.0	1.0	0.4	0.4	0.8	0.6	0.4	0.1	0.0	0.5
PERTUSSIS	128.5	47.1	31.6	18.9	5.6	2.9	5.1	3.4	2.3	2.1	11.2
Q FEVER, ACUTE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0
Q FEVER, CHRONIC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
ROCKY MOUNTAIN SPOTTED FEVER	0.0	0.0	0.2	0.2	0.1	0.1	0.1	0.3	0.2	0.1	0.1
SALMONELLOSIS	207.2	63.7	25.5	15.1	10.5	8.5	8.4	9.5	12.9	20.7	19.4
SHIGELLOSIS	12.3	54.8	46.4	10.2	3.5	5.6	4.2	2.2	2.2	2.2	10.3
ST LOUIS ENCEPHALITIS VIRUS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
STREPTOCOCCUS, GROUP A	3.9	1.5	0.4	0.2	0.3	0.6	0.8	1.2	2.2	3.7	1.4
STREPTOCOCCUS, GROUP B	38.2	0.2	0.1	0.2	0.2	0.4	1.1	3.0	4.6	9.6	3.3
STREPTOCOCCUS PNEUMONIAE	19.5	9.4	2.5	1.0	1.0	2.7	3.0	6.1	10.4	23.2	7.5
TAENIASIS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TULAREMIA	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TYPHOID FEVER	0.0	0.3	0.2	0.2	0.1	0.3	0.1	0.1	0.1	0.0	0.1
TYPHUS, MURINE	0.0	0.3	0.9	1.1	0.7	0.3	0.5	0.7	0.5	0.4	0.5
VIBRIO PARAHAEMOLYTICUS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.1
VIBRIO VULNIFICUS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.5	0.2	0.1
VIBRIO, OTHER/UNSPECIFIED	0.0	0.1	0.0	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1
VISA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0

WEST NILE FEVER	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.1	0.0
WEST NILE NEUROINVASIVE DISEASE	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.6	1.0	0.3
YERSINIOSIS	1.2	0.2	0.0	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.1

<sup>1</sup> Age is calculated based on date of birth and event date, which is onset date if known.

<sup>2</sup> DSHS Center for Health Statistics projected 2010 Texas population data <http://www.dshs.texas.gov/chs/popdat/downloads.shtml>.

<sup>3</sup> Infant botulism rates are calculated using the population under 1 year of age.

<sup>4</sup> Perinatal hepatitis B cases are defined as infants >1 month of age through 24 months of age who were born in the US to HBsAg positive mothers. The rates were calculated using the population under 2 years of age, which approximates this cohort.

<sup>5</sup> Influenza-associated pediatric mortality is calculated using the population under 18 years of age.