

**TABLE IV  
REPORTED DISEASES BY AGE GROUP<sup>1</sup> 2011**

DISEASE	<1	1-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60+	UNK	TOTAL
AMEBIASIS	0	3	4	4	9	23	22	19	15	13	0	112
<i>ANAPLASMA PHAGOCYTOPHILUM</i>	0	0	1	0	0	0	1	0	0	0	0	2
BOTULISM, INFANT <sup>2</sup>	4	0	0	0	0	0	0	0	0	0	0	4
BOTULISM, WOUND	0	0	0	0	0	0	0	0	1	0	0	1
BRUCELLOSIS	0	0	0	1	0	1	2	1	3	3	0	11
CAMPYLOBACTERIOSIS	96	296	156	96	86	202	179	180	200	250	0	1,741
CHICKENPOX (VARICELLA)	207	645	719	452	112	149	116	65	45	48	0	2,558
CHOLERA	0	0	0	0	0	0	0	1	0	0	0	1
CREUTZFELDT-JAKOB DISEASE	0	0	0	0	0	0	1	0	5	12	0	18
CRYPTOSPORIDIOSIS	8	80	58	29	32	65	70	53	38	71	0	504
CYCLOSPORIASIS	0	0	0	0	0	4	0	7	0	3	0	14
CYSTICERCOSIS	0	0	0	0	0	1	2	2	3	1	0	9
DENGUE	0	0	1	0	0	1	1	0	1	3	0	7
<i>EHRlichia CHAFEENSIS</i>	0	0	0	0	0	0	0	2	1	1	0	4
ENCEPHALITIS, NONARBOVIRAL	0	2	1	1	0	2	2	2	1	6	0	17
<i>ESCHERICHIA COLI</i> , SHIGA TOXIN-PRODUCING (STEC)	53	204	37	24	31	37	18	21	19	42	0	486
<i>HAEMOPHILUS INFLUENZAE</i> TYPE B, INVASIVE	0	0	0	0	0	0	0	1	0	1	0	2
HEMOLYTIC UREMIC SYNDROME	0	14	3	2	1	0	0	0	1	1	0	22
HEPATITIS A, ACUTE	0	1	2	6	11	26	22	16	15	39	0	138
HEPATITIS B, ACUTE	0	0	1	1	4	27	53	59	35	24	0	204
HEPATITIS B, PERINATAL <sup>3</sup>	2	2	0	0	0	0	0	0	0	0	0	4
HEPATITIS C, ACUTE	1	1	0	0	2	9	3	8	8	5	0	37
HEPATITIS E, ACUTE	0	0	2	0	1	5	2	2	1	1	0	14
INFLUENZA-ASSOCIATED PEDIATRIC MORTALITY <sup>4</sup>	4	3	0	2	2	0	0	0	0	0	0	11
JAPANESE ENCEPHALITIS	0	0	0	0	0	0	0	0	0	1	0	1
LEGIONELLOSIS	0	0	0	0	0	2	4	17	26	62	0	111
LEISHMANIASIS	0	0	0	1	0	1	0	0	1	1	0	4
LISTERIOSIS	0	0	0	1	1	4	3	5	8	29	0	51
LYME DISEASE	0	0	4	2	6	16	13	10	11	12	0	74
MALARIA	0	1	3	3	4	27	17	26	13	8	0	102
MEASLES	2	1	0	0	0	0	2	1	0	0	0	6
MENINGITIS, ASEPTIC	302	35	95	72	78	215	176	116	85	120	0	1,294
BACTERIAL MENINGITIS	67	14	15	11	8	22	27	52	54	71	0	341
OTHER MENINGITIS	0	1	0	0	4	5	21	25	13	12	0	81
MENINGOCOCCAL INFECTION	4	2	3	1	2	7	3	4	1	3	0	30
MUMPS	0	9	10	7	1	20	10	6	3	2	0	68
PERTUSSIS	273	196	166	86	36	36	61	39	39	29	0	961
Q FEVER, ACUTE	0	0	0	0	0	1	3	4	2	6	0	16
Q FEVER, CHRONIC	0	0	0	0	0	1	0	1	0	1	0	3
ROCKY MOUNTAIN SPOTTED FEVER	0	1	1	4	4	9	7	6	12	8	0	52
SALMONELLOSIS	871	1,032	500	275	184	394	303	398	423	836	2	5,218
SHIGELLOSIS	43	915	865	176	57	159	137	78	53	54	2	2,539
<i>STREPTOCOCCUS</i> , GROUP A	9	15	10	10	10	26	34	62	70	181	0	427
<i>STREPTOCOCCUS</i> , GROUP B	130	0	1	1	2	27	38	110	201	393	0	903
<i>STREPTOCOCCUS PNEUMONIAE</i>	52	103	46	22	14	78	112	192	326	658	0	1,603
TAENIASIS	0	0	0	0	0	0	1	0	0	0	0	1
TETANUS	0	0	0	0	0	1	0	1	0	0	0	2
TRICHINOSIS	0	1	0	0	0	0	0	0	0	1	0	2
TYPHOID FEVER	0	1	4	3	4	5	4	1	2	2	0	26
TYPHUS, MURINE	0	10	21	39	25	32	27	38	46	48	0	286
<i>VIBRIO PARAHAEMOLYTICUS</i>	0	0	1	1	1	6	7	6	5	2	0	29
<i>VIBRIO VULNIFICUS</i>	0	0	0	0	0	2	3	4	3	5	0	17
<i>VIBRIO</i> , OTHER/UNSPECIFIED	0	3	2	5	4	2	3	2	4	8	0	33
VISA	0	0	0	0	0	0	0	0	0	6	0	6
WEST NILE FEVER	0	0	0	0	0	1	1	2	1	2	0	7
WEST NILE NEUROINVASIVE DISEASE	0	0	0	0	0	0	3	0	5	12	0	20
YERSINIOSIS	6	1	0	0	2	2	2	1	1	3	0	18

<sup>1</sup> Age is calculated based on date of birth and event date, which is onset date if known.

<sup>2</sup> Infant botulism rates are calculated using the population under 1 year of age.

<sup>3</sup> Perinatal hepatitis B cases are defined as infants >1 month of age through 24 months of age who were born in the US to HBsAg positive mothers. The rates were calculated using the population under 2 years of age, which approximates this cohort.

<sup>4</sup> Influenza-associated pediatric mortality is calculated using the population under 18 years of age.