

TABLE V
REPORTED DISEASES BY AGE GROUP¹
CASES PER 100,000 POPULATION² 2013

DISEASE	≤1	1-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60+	TOTAL
AMEBIASIS	0.0	0.6	0.3	0.2	0.6	0.9	0.9	1.0	0.6	0.6	0.7
AMEBIC CNS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BABESIOSIS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BOTULISM, FOODBORNE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BOTULISM, INFANT ³	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7
BOTULISM, WOUND	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BRUCELLOSIS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0
CAMPYLOBACTERIOSIS	29.1	27.6	12.0	7.0	8.2	7.2	6.8	7.6	8.0	10.6	9.8
CHAGAS, CHRONIC INDETERMINATE	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.1	0.1	0.0	0.1
CHAGAS, CHRONIC SYMPTOMATIC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CHICKENPOX (VARICELLA)	43.3	30.6	23.5	14.7	6.0	3.2	2.4	1.5	1.0	1.2	7.0
CREUTZFELDT-JAKOB DISEASE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1
CRYPTOSPORIDIOSIS	1.9	2.9	2.0	0.9	0.7	1.9	1.4	1.4	1.1	1.5	1.5
CYCLOSPORIASIS	0.0	0.5	0.4	0.2	0.4	0.6	1.4	2.2	2.4	2.0	1.3
CYSTICERCOSIS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0
DENGUE	0.0	0.1	0.2	0.6	0.5	0.3	0.3	0.5	0.4	0.3	0.4
EHRLICHIA CHAFFEENSIS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0
ESCHERICHIA COLI, SHIGA TOXIN-PRODUCING (STEC)	11.5	11.8	2.7	2.1	2.3	1.1	0.9	1.1	1.5	1.5	2.3
HAEMOPHILUS INFLUENZAE TYPE B, INVASIVE	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HANTAVIRUS PULMONARY SYNDROME	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HEMOLYTIC UREMIC SYNDROME	0.0	0.6	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.1
HEPATITIS A, ACUTE	0.0	0.1	0.1	0.2	0.3	0.5	0.6	0.4	0.4	0.7	0.4
HEPATITIS B, ACUTE	0.0	0.0	0.1	0.0	0.1	0.3	1.0	1.1	0.8	0.5	0.5
HEPATITIS B, PERINATAL ⁴ (AGE <24 MONTHS)	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
HEPATITIS C, ACUTE	0.2	0.0	0.0	0.0	0.2	0.2	0.1	0.1	0.1	0.0	0.1
HEPATITIS E, ACUTE	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
INFLUENZA-ASSOCIATED PEDIATRIC MORTALITY ⁵	1.0	0.2	0.2	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.2
LEGIONELLOSIS	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.5	1.3	2.2	0.6
LEISHMANIASIS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
LISTERIOSIS	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.4	0.1
LYME DISEASE	0.0	0.1	0.2	0.3	0.4	0.2	0.5	0.2	0.4	0.3	0.3
MALARIA	0.0	0.2	0.2	0.3	0.3	0.5	0.3	0.3	0.5	0.3	0.3
MEASLES	0.5	0.4	0.2	0.2	0.1	0.1	0.0	0.1	0.0	0.0	0.1
MENINGOCOCCAL INFECTION	0.7	0.1	0.0	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1
MUMPS	0.0	0.2	0.2	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
PERTUSSIS	217.4	39.1	39.6	40.0	13.3	3.6	3.8	4.3	3.4	3.4	14.8
POLIOMYELITIS	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Q FEVER, ACUTE	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1
Q FEVER, CHRONIC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SALMONELLOSIS	213.6	53.1	22.9	14.8	8.6	8.3	7.6	9.2	13.2	21.7	18.4
SHIGELLOSIS	12.0	42.7	39.1	9.8	4.7	5.0	3.7	2.8	2.3	2.0	8.9
SPOTTED FEVER GP RICKETTSIOSSES	0.0	0.0	0.2	0.3	0.6	0.3	0.2	0.4	0.4	0.4	0.3
ST LOUIS ENCEPHALITIS VIRUS, NEUROINVASIVE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
STREPTOCOCCUS, GROUP A	1.4	1.7	0.5	0.2	0.2	0.8	1.0	1.1	2.5	4.1	1.6
STREPTOCOCCUS, GROUP B	38.0	0.0	0.0	0.1	0.4	0.7	1.4	3.4	6.1	11.4	3.9
STREPTOCOCCUS PNEUMONIAE	15.4	4.4	1.7	0.9	0.7	1.8	2.7	5.2	11.4	18.6	6.4
TETANUS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TULAREMIA	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TYPHOID FEVER	0.0	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0
TYPHUS, MURINE	0.2	0.1	1.2	1.5	0.9	0.7	0.7	0.7	1.0	0.8	0.8
VIBRIO PARAHAEMOLYTICUS	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.1	0.2	0.1	0.1
VIBRIO VULNIFICUS	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.3	0.1
VIBRIO, OTHER/UNSPECIFIED	0.0	0.2	0.5	0.3	0.2	0.0	0.1	0.1	0.0	0.2	0.1
VISA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0
WEST NILE FEVER	0.2	0.0	0.1	0.1	0.2	0.1	0.4	0.3	0.4	0.5	0.3
WEST NILE NEUROINVASIVE DISEASE	0.2	0.0	0.1	0.0	0.2	0.1	0.3	0.3	0.6	1.4	0.4
YERSINIOSIS	1.7	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.3	0.1

¹ Age is calculated based on date of birth and event date, which is onset date if known.

² DSHS Center for Health Statistics projected 2013 Texas population data <http://www.dshs.texas.gov/chs/popdat/downloads.shtm>.

³ Infant botulism rates are calculated using the HSR populations under 1 year of age.

⁴ Perinatal hepatitis B cases are -defined as infants >1 months through 24 months of age. The rates were calculated using the HSR populations under 2 years of age, which approximates this cohort.

⁵ Influenza-associated pediatric mortality rates were calculated for the HSR populations <18 years of age.