

TRICHINOSIS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0
TULAREMIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0
TYPHOID FEVER	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.1
TYPHUS, MURINE	0.0	0.0	0.1	0.0	0.0	0.4	0.6	1.4	0.2	0.1	9.9	1.2
<i>VIBRIO PARAHAEMOLYTICUS</i>	0.2	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.0	0.0	0.1	0.1
<i>VIBRIO VULNIFICUS</i>	0.1	0.0	0.0	0.0	0.2	0.2	0.1	0.3	0.0	0.0	0.2	0.1
<i>VIBRIO</i> , OTHER/UNSPECIFIED	0.0	0.2	0.1	0.2	0.0	0.1	0.2	0.3	0.5	0.0	0.2	0.2
VISA	0.2	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
WEST NILE FEVER	1.7	0.9	0.3	0.2	0.2	0.3	0.1	0.1	0.0	0.2	0.0	0.3
WEST NILE NEUROINVASIVE DISEASE	4.2	1.9	0.7	0.9	1.2	0.6	0.1	0.3	0.7	1.6	0.2	0.7
YERSINIOSIS	0.1	0.2	0.1	0.3	0.2	0.2	0.1	0.3	0.2	0.1	0.0	0.2
ZIKA	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0

¹ DSHS Center for Health Statistics projected 2015 Texas population data <http://www.dshs.state.tx.us/chs/popdat/popup.shtm>

² Infant botulism rates are calculated using the HSR populations under 1 year of age.

³ Perinatal hepatitis B cases are defined as infants >1 months through 24 months of age. The rates were calculated using the HSR populations under 2 years of age, which approximates this cohort.

⁴ Influenza-associated pediatric mortality rates were calculated for the HSR populations <18 years of age.