

**TABLE VII**  
**REPORTED DISEASES BY HEALTH SERVICE REGION**  
**CASES PER 100,000 POPULATION<sup>1</sup>**  
**2016**

TETANUS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TRICHINOSIS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0
TULAREMIA	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TYPHOID FEVER	0.1	0.0	0.2	0.0	0.0	0.2	0.1	0.1	0.0	0.0	0.1
TYPHUS, MURINE	0.0	0.2	0.1	0.0	0.0	0.6	1.3	2.4	0.8	0.0	1.3
VIBRIO PARAHAEAMOLYTICUS	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.2	0.0	0.1
VIBRIO VULNIFICUS	0.0	0.0	0.1	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.1
VIBRIO, OTHER/UNSPECIFIED	0.0	0.0	0.1	0.0	0.1	0.2	0.1	0.2	0.3	0.2	0.3
VISA	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0
WEST NILE FEVER	0.4	0.2	0.8	1.1	1.6	0.1	0.4	0.0	0.2	0.2	0.0
WEST NILE NEUROINVASIVE DISEASE	0.3	1.1	1.6	2.5	1.6	0.6	0.5	0.2	0.8	0.5	0.2
YERSINIOSIS	0.3	0.2	0.1	0.3	0.0	0.3	0.1	0.6	0.2	0.0	0.2
ZIKA VIRUS DISEASE	0.4	0.2	1.3	0.3	0.5	1.4	1.1	0.9	0.2	0.3	1.7
											1.1

<sup>1</sup> DSHS Center for Health Statistics projected 2016 Texas population data <http://www.dshs.texas.gov/chs/popdat/ST2016p.shtm>

<sup>2</sup> Infant botulism rates are calculated using the HSR populations under 1 year of age.

<sup>3</sup> Perinatal hepatitis B cases are -defined as infants >1 months through 24 months of age. The rates were calculated using the HSR populations under 2 years of age, which approximates this cohort.

<sup>4</sup> Influenza-associated pediatric mortality rates were calculated for the HSR populations <18 years of age.