

Trichuriasis rev March 2021

BASIC EPIDEMIOLOGY

Infectious Agent

Trichuriasis is caused by infection with the intestinal nematode *Trichuris trichiura*. *Trichuris trichiura* is the second most common soil transmitted helminth in the world.

Transmission

Transmission is primarily via ingestion of soil contaminated with feces. Eggs are shed in the stool of an infected person but do not become infectious until they have incubated in soil for at least 10 days. Once they become infectious they can be transmitted via contaminated water, agricultural products, fingers (especially children), or fomites.

Incubation Period

Eggs must incubate in the soil for at least 10 days before they become infectious to humans. Once ingested it takes approximately 10 weeks for eggs to develop into egg laying adults. Adult worms can live in the human intestine for greater than five years.

Communicability

Human to human transmission of *T. trichuria* does NOT occur because part of the worm's life cycle must be completed in soil before becoming infectious. Soil contamination is perpetuated by fecal contamination from infected individuals. An infected person may shed eggs for as long as they are infected with an egg laying adult, which may be several years.

Clinical Illness

Clinical manifestations of trichuriasis tend to be dependent on the burden and severity of the infection. Light infections may only result in peripheral blood eosinophilia. Individuals with moderate to heavy infections may develop symptoms such as frequent, painful and/or bloody stool, rectal prolapse, or anemia. Children with prolonged or severe anemia may develop significant growth or mental impairment.

DEFINITIONS

Clinical Case Definition

While most cases are asymptomatic severe cases may develop symptoms similar to inflammatory bowel disease. Dysentery including frequent painful passage of stool that is bloody or with mucus, and rectal prolapse may be present. Children with severe infection may be developmentally impaired and/or anemic.

Laboratory Confirmation

- Microscopic identification of Trichuria eggs or worms in stool specimens, OR
- Observation during sigmoidoscopy, proctoscopy, or colonoscopy of *Trichuria* worms characterized by a threadlike form with an attenuated, whip-like end, **OR**
- Identification of worms on prolapsed rectal mucosa

Case Classifications

• **Confirmed:** A case that is laboratory confirmed





SURVEILLANCE AND CASE INVESTIGATION

Case Investigation

Local and regional health departments should promptly investigate all reports of trichuriasis. Investigations should include an interview of the case or a surrogate to get a detailed exposure history. Please use the Trichuriasis Investigation Form available on the DSHS website: http://www.dshs.texas.gov/idcu/investigation/

Note:

• If an imported case (acquired outside of Texas) of Trichuriasis is diagnosed/identified in a refugee with a current Texas address, it should be investigated and counted as a Texas case. If a case currently has an address outside of your jurisdiction or the refugee plans to move to another state or country, fax the available investigation information, with the new address, to DSHS EAIDU. This information will be forwarded to the appropriate jurisdiction.

Case Investigation Checklist

	Confirm laboratory results meet the case definition.								
	Review medical records or speak to an infection preventionist or healthcare provider to verify case definition, identify possible risk factors and describe course of illness.								
	· , , , , , , , , , , , , , , , , , , ,								
	Interview the case to get detailed exposure history and risk factor information.								
	• Use the Trichuriasis Investigation Form to record information from the interview.								
	o If the case is not available or is a child, conduct the interview with a surrogate who would								
	have the most reliable information on the case, such as a parent or guardian.								
	o Provide education to the case or his/her surrogate about effective hand washing, food safet								
	practices, and avoidance of soil contamination. See Prevention and Control Measures.								
	Fax completed forms to DSHS EAIDU at 512-776-7616								
	o For lost to follow-up (LTF) cases, please complete as much information as possible obtaine								
	from medical/laboratory records (e.g., demographics, symptomology, onset date, etc.) on								
	investigation form and fax/e-mail securely to DSHS EAIDU and indicate the reason for an								
	missing information.								
	If case is part of an outbreak or cluster, see Managing Special Situations section.								
	All confirmed case investigations must be entered and submitted for notification in the NEDSS Base								
	System (NBS). Please refer to the NBS Data Entry Guidelines for disease specific entry rules.								

Prevention and Control Measures

- Routine hand washing with soap and warm water.
- Proper disposal of human waste products such as feces is necessary to prevent contamination of soil.
- Avoid areas where human waste contamination of soil or water is likely.
- Thoroughly wash fruits and vegetables to remove soil/fertilizer residue.
- Thoroughly cook all fruits and vegetables that may have been in contact with soil produced from human and animal waste.

Exclusions

There is no human-to-human transmission of trichuriasis therefore no exclusion from work, school or daycare is required for disease control purposes unless the individual has diarrhea. If the individual has diarrhea, the standard exclusion until diarrhea free for 24 hours without the use of diarrhea suppressing medications applies. Diarrhea is defined as 3 or more episodes of loose stools in a 24-hour period.





MANAGING SPECIAL SITUATIONS

Outbreaks/Clusters

If an outbreak or cluster is suspected, notify the DSHS Emerging and Acute Infectious Disease Unit (EAIDU) at **(512)** 776-7676.

The local/regional health department should:

- Interview all cases suspected as being part of the outbreak or cluster.
- Request medical records for any case in your jurisdiction that died, was too ill to be interviewed, or for whom there are no appropriate surrogates to interview.
- Prepare a line list of cases in your jurisdiction. Minimal information needed for the line list might include patient name or other identifier, DSHS or laboratory specimen identification number, specimen source, date of specimen collection, date of birth, county of residence, date of onset (if known), symptoms, underlying conditions, treatments and outcome of case, and risky exposures, such as inadequate waste disposal near the home or work, recreational activities in areas with inadequate waste disposal, or travel to an endemic country reported by the case or surrogate.

Line list example:

ID	Name	Ag	Sex	Ethnicity	Onset	Symptoms	Risks	Notes
		e						
1	NT	34	F	White/non-	12/4/16	Diarrhea,	Travel to Vietnam, lives	Brother
				Hispanic		Anemia	in same neighborhood	ill
				_			as ID 2	
2	PR	4	M	Unknown	11/30/16	Anemia,	Poor sanitation near	Lost to
						bloody	home, lives in same	follow
						stool	neighborhood as ID 1	up
								(LTF)

- If the outbreak was reported in association with an apparent common risk factor (e.g., work or live near a possible site of soil contamination, members of the same household with similar travel), recommend that anyone displaying symptoms seek medical attention from a healthcare provider.
- If several cases in the same family or geographic area are identified and there is a possibility for similar exposures (e.g., travel to the same country, poor sanitation), testing of potentially exposed persons or mass de-worming treatment may be warranted.





REPORTING AND DATA ENTRY REQUIREMENTS

Provider, School, Child-Care Facility, and General Public Reporting Requirements

Confirmed, probable and clinically suspected cases are required to be reported within 1 week to the local or regional health department or the Texas Department of State Health Services (DSHS), Emerging and Acute Infectious Disease Branch (EAIDU) at (800) 252-8239 or (512) 776-7676.

Local and Regional Reporting and Follow-up Responsibilities

Local and regional health departments should:

- Enter the case into NBS and submit an NBS notification on all **confirmed** cases.
 - O Please refer to the NBS Data Entry Guidelines for disease-specific entry rules.
 - A notification can be sent as soon as the case criteria have been met. Additional information from the investigation may be entered upon completing the investigation.
- Fax completed forms to DSHS EAIDU at **512-776-7616** or email securely to an EAIDU epidemiologist.

When an outbreak is being investigated, local and regional health departments should:

Report outbreaks within 24 hours of identification to the regional DSHS office or to EAIDU at 512-776-7676.

LABORATORY PROCEDURES

Fecal Ova and Parasite testing for helminth eggs (fecal O&P examination) is widely available from most private laboratories, and if needed, DSHS laboratory is available for specimen submission. Adult worm specimen identification may not be available at private laboratories therefore, submission to the DSHS laboratory is available and highly recommended. Contact an EAIDU epidemiologist to discuss further if needed.

Specimen Collection

- Submit a stool specimen in an O&P stool collection kit (5-10 % formalin & Zn-PVA fixatives).
 - o Required volume: Stool 5 g solid or 5 mL liquid.
- Adult worms should be submitted in either 5-10% formalin or 70% ethanol.

Submission Form

- Use DSHS Laboratory G-2B form for specimen submission.
- Make sure the patient's name and date of birth or medical record number match exactly what is written on the transport tubes.
- Fill in the date of collection, date of onset, diagnosis/symptoms, and all required fields.

Specimen Shipping

- Transport temperature: May be shipped at ambient temperature.
- Ship specimens via overnight delivery.
- DO NOT mail on a Friday unless special arrangements have been pre-arranged with DSHS Laboratory.
- Ship specimens to:

Laboratory Services Section, MC-1947 Texas Department of State Health Services 1100 West 49th Street Austin, TX 78756-3199 Attn. Walter Douglass (512) 776-7569





Possible Causes for Rejection:

- Specimen not in correct transport medium.
- Missing or discrepant information on form/specimen.
- Transport media was expired.
- Unpreserved specimen received greater than 24 hours after collection. (Specimen may still be submitted as an attempt will be made to complete testing on compromised material.)
- Call Medical Parasitology Lab (512) 776-7560 with specific questions about specimen acceptance criteria.

UPDATES

March 2021

• Minor updates throughout

