

2nd Quarter 2019

HIV/STD Epidemiology and Surveillance Branch



6. HIV Infection and AIDS Diagnoses by National Origin
Cases Diagnosed from January 1 through June 30st, 2019

National Origin	HIV Infection	%	AIDS	%
U.S.	517	25.6%	304	35.6%
U.S. Dependency	7	0.3%	3	0.4%
Unknown	1,344	66.6%	456	53.3%
Foreign Country	150	7.4%	92	10.8%
State Total	2,018	100.0%	855	100.0%

Most Frequent Foreign Countries of National Origin*

Country	HIV Infection	AIDS
Mexico	46	38
Honduras	16	8
El Salvador	15	7
Guatemala	10	6
Venezuela	8	2
Nigeria	7	3
Cuba	6	3
Cameroon	3	4
India	3	3
Kenya	3	2
Zambia	2	2
Vietnam	2	2
Ghana	3	1
Congo	3	1
South Africa	3	-
Cote d'Ivoire	2	1
Philippines	1	1
Nicaragua	1	1
Iraq	1	1
Guyana	1	1
Ethiopia	1	1

* Foreign countries of national origin listed by total number of HIV Infection and AIDS cases diagnosed combined.

7. HIV Infection and AIDS Diagnoses by Transmission Category

Cases Diagnosed from January 1 through June 30st, 2019

Adult/Adolescent Transmission Category*	HIV Infection			AIDS		
	Male	Female	Total	Male	Female	Total
Male-to-Male Sexual Contact (MMS)	1,433	0	1,433	539	0	539
Intravenous Drug Use (IDU)	57	64	121	36	37	73
MMS & IDU	67	0	67	46	0	46
Heterosexual Contact	88	306	394	69	151	220
Other**	0	0	0	0	0	0
Adult Total	1,644	370	2,014	690	188	878
Pediatric Transmission Total*	3	1	4	4	2	6
Adult/Pediatric Total	1,647	371	2,018	694	190	884

* Transmission categories are estimated, column values may not sum to the column total.

** Adult Other includes received clotting factor, transfusion/transplant, other and unknown.