

Texas Department of State Health Services

RSV Surveillance: A Review and Update



Overview

• Current RSV (Respiratory Syncytial Virus) Surveillance

Data Availability and Use

Considerations of Changing Environment

Review

TEXAS Health and Human Services Texas Department of State Health Services

Current RSV Surveillance

- Individual cases of RSV are <u>not</u> a reportable condition
 - Exceptions include:
 - Unusual group of expression of disease and
 - Outbreaks of any kind and any are considered reportable, including RSV
- Passive Sentinel Surveillance
 - Lab data is voluntarily reported by Texas laboratories participating in the National Respiratory and Enteric Virus Surveillance System (NREVSS)
- NREVSS
 - CDC Program
 - Participating Laboratories report weekly
 - Currently the <u>only</u> source of RSV data

TEXAS Health and Human Services Texas Department of State Health Services

Current RSV Surveillance

- Seasonality Changes
 - RSV seasons during COVID-19 (2020-2022) saw peaks of activity during summer months
 - This was uncommon and may have been due to COVID-19
 - Most recent season (2022-2023) saw a shift back to regular seasonality with a peak in October
- DSHS Collaboration with RSV Task Force
 - RSV Task Force is a subcommittee of TPS (Texas Pediatric Society) composed of healthcare providers throughout Texas.
 - This taskforce oversees implementation of RSV preventative product (Synagis/Palivizumab) for TPS and reviews trends provided by EAIDU Influenza Surveillance Coordinator.



Health Services

Available NREVSS* Data

LabID	INST	CITY	STA	Season	WEEK	WeekEnding	TestType	RSV_TEST	RSVA_POS	RSVB_POS	RSVUNK_F
1243	Test Medical Center	Sample	TX	2324	2330	7/29/2023	AG	0	0	0	0
1243	Test Medical Center	Sample	TX	2324	2330	7/29/2023	PCR	50	0	0	0
1243	Test Medical Center	Sample	TX	2324	2330	7/29/2023	VI	0	0	0	0
1243	Test Medical Center	Sample	TX	2324	2329	7/22/2023	AG	0	0	0	0
1243	Test Medical Center	Sample	TX	2324	2329	7/22/2023	PCR	64	0	0	0
1243	Test Medical Center	Sample	TX	2324	2329	7/22/2023	VI	0	0	0	0
1243	Test Medical Center	Sample	TX	2324	2328	7/15/2023	AG	0	0	0	0
1243	Test Medical Center	Sample	TX	2324	2328	7/15/2023	PCR	63	0	0	0
1243	Test Medical Center	Sample	TX	2324	2328	7/15/2023	VI	0	0	0	0

^{*}National Respiratory and Enteric Virus Surveillance System, Accessed on08/04/2023


- Reported weekly by MMWR (YYWW; ex. 2023 week 30=2330)
 - Aggregate testing data
 - Test Type
 - Total Tests
 - RSV A & B Positive
 - And Positive RSV tests not typed (unknown)

TEXAS Health and Human Services Texas Department of State Health Services

Use of NREVSS Data


- EAIDU Influenza Coordinator provides and publishes weekly trend reports of RSV positivity during RSV season
 - Texas follows CDC guidance in establishing RSV seasons (aka annual epidemic)
 - 2 consecutive weeks with PCR% positivity ≥3% identifies beginning of epidemic/season
 - 2 consecutive weeks ≤ 3% identifies the end of the epidemic/season
- Maintain year-round surveillance
- Many providers have switched from antigen to PCR testing
 - PCR data providers better representativeness in current data





Dashed lines represents 3% for PCR % positivity





Dashed lines represents 10% for antigen % positivity





- RSV Immunization
 - Beyfortus
 - Addition to childhood vaccination schedule
- Increasing Interest in Epidemiology of RSV
 - Increasing data requests
 - Questions concerning past surveillance
 - Providers looking to better understand RSV
 - CDC's interest in RSV deaths
- Pan-Respiratory Disease Surveillance



Changing Landscape of RSV

- Considerations:
 - Burden to benefit for possible reporters
 - Workload for local and regional HD's
 - Additional/siloed data streams
- Current Actions
 - Identifying additional data sources
 - Syndromic Surveillance/TxS2
 - Increased reporting from NREVSS providers
 - Further analysis of available RSV data

In Review



- Current RSV surveillance is passive
- Data is currently used mainly bit TPS RSV Task Force to guide recommendations for use of prophylaxis.
- New immunizations and interest may increase the need for better data regarding the epidemiology and surveillance of RSV
- No definitive changes in surveillance practice for regional or local HD's as of now.