

## Texas Department of State Health Services



# Texas Influenza Surveillance Report 2021-2022 Season/2021 MMWR Week 43

(October 24, 2021 – October 30, 2021) Report produced on 11/5/2021

### Summary

\*Please note, some aspects of influenza surveillance may be affected by current COVID-19 response activities. For information about COVID-19 in Texas, please visit <a href="https://www.dshs.texas.gov/coronavirus">www.dshs.texas.gov/coronavirus</a>.

Compared to the previous week, the percentage of specimens testing positive for influenza reported by hospital laboratories has increased. The percentage of patient visits due to influenza-like illness (ILI) has increased. No influenza-associated pediatric deaths were reported. No influenza-associated institutional outbreaks or school closures were reported.

Table 1: Summary of Texas Influenza (Flu) and Influenza-like Illness (ILI) Activity for the Current Week

Texas Surveillance Component	Change from Previous Week	Current Week	Previous Week <sup>†</sup>	Page of Report
Statewide ILINet Activity Indicator assigned by CDC (intensity of influenza-like illness)	No Change	Minimal	Minimal	
Percentage of specimens positive for influenza by hospital laboratories	▲0.09%	0.40%	0.31%	1
Percentage of visits due to ILI (ILINet)	▲0.10	2.33%	2.23%	4
Number of regions reporting increased flu/ILI activity	<b>▲</b> 1	5	4	5
Number of regions reporting decreased flu/ILI activity	▼1	0	1	5
Number of variant/novel influenza infections	No cases reported	0	0	5
Number of ILI/influenza outbreaks	No cases reported	0	0	5
Number of pediatric influenza deaths	No change	0	0	6

## **Laboratory Results**

Influenza

\*In response to the COVID-19, influenza testing at Texas Public Health Laboratories has significantly decreased to increase capacity for SARS-CoV-2 testing. Please note, this will affect data in Table 3 and Figure 2.

Hospital laboratories across Texas voluntarily report influenza tests (antigen, culture, and PCR) to the National Respiratory and Enteric Virus Surveillance System (NREVSS). Providers throughout Texas also submit specimens for influenza testing (PCR) to Texas public health laboratories, including the Texas Department of State Health Services (DSHS) state laboratory in Austin and the nine Texas Laboratory Response Network (LRN) laboratories. The results reported by Texas NREVSS participants and public health laboratories for the current week are summarized in the two tables below. Additional influenza test results (rapid tests, culture, PCR) and ILI activity were reported from providers and public health departments throughout the state (see county map at the end of this report).

Table 2: Influenza Testing Performed by Texas Hospital Laboratories for the Current Week

	Week 43	Season to Date Week Ending: Oct. 30, 2021
Number of labs reporting flu tests	18	
Number of specimens teste	3201	21169
Number of positive specimens (%) <sup>†</sup>	10 (0.31%)	58 (0.27%)
Percentage of total tests that were antigen detection tests	16.03%	
Positive specimens by type/subtype [n	(%)]	
Influenza A	6 (60.00%)	30 (51.72%)
Subtyping performed	1 (16.67%)	3 (10.00%)
A (H1N1)	1 (100.00%)	3 (100.00%)
A (H3N2)	0 (0.00%)	0 (0.00%)
Subtyping not performed	5 (83.33%)	27 (90.00%)
Influenza B	4 (40.00%)	28 (48.28%)

Figure 1: Number and Percentage of Tests (Antigen, Culture, PCR) Positive for Influenza by Type and Subtype Reported by Texas Hospital Laboratories, 2021-2022 Season




Table 3: Influenza Testing Performed by Texas Public Health Laboratories for the Current Week

Table 5. Illinderiza resumg i chomied by rexas i dolle i	Week 43	Season to Date Week Ending: Oct. 30, 2021
Number of labs reporting flu tests	2	
Number of specimens tested	29	276
Number of positive specimens (%) <sup>†</sup>	0 (0.00%)	1 (0.36%)
Positive specimens by type/subty	pe/lineage [n (%)]	
Influenza A	0 (0.00%)	0 (0.00%)
Subtyping performed	0 (0.00%)	0 (0.00%)
A (H1N1)	0 (0.00%)	0 (0.00%)
A (H3N2)	0 (0.00%)	0 (0.00%)
Subtyping not performed	0 (0.00%)	0 (0.00%)
Influenza B	0 (0.00%)	1 (100.00%)
Lineage testing performed	0 (0.00%)	1 (100.00%)
B/Victoria	0 (0.00%)	1 (100.00%)
B/Yamagata	0 (0.00%)	0 (0.00%)
Lineage testing not performed	0 (0.00%)	0 (0.00%)
Other	0 (0.00%)	0 (0.00%)

<sup>\*</sup>Other denotes specimens with coinfections (i.e. one specimen was positive for both influenza A (H1N1) and influenza A (H3N2))0

120 Other\* ■Flu B (Victoria) ■Flu B (Yamagata) 100 ■Flu B (lineage not determined) Number of tests positive for influenza □Flu A (not subtyped) ■Flu A (H3N2) 80 ■Flu A (H1N1) 60 40 20 0 40 41 42 43 44 45 46 47 48 49 50 51 52 1 2 3 4 5 | 6 | 7 | 8 9 10 11 12 13 14 15 16 17 18 19 20

January

MMWR reporting week

February

March

2022

April

Figure 2: Number of Tests (PCR) Positive for Influenza by Type, Subtype, and Lineage Reported by Texas Public Health Laboratories, 2021-2022 Season

\*Other denotes specimens with coinfections (i.e. one specimen was positive for both influenza A (H1N1) and influenza A (H3N2))

2021

November | December

#### Other Respiratory Viruses

October

The NREVSS system collects information on a variety of respiratory viruses in addition to influenza including parainfluenza virus, respiratory syncytial virus (RSV), rhinovirus, human metapneumovirus (HMPV), seasonal coronavirus, and respiratory adenovirus. The results for the current week are summarized below.

Table 4: Non-Influenza Respiratory Virus Testing Performed by Texas NREVSS Laboratories for the Current Week

Virus	Number of Laboratories Testing	Tests Performed	Positive Tests	Percentage of Tests Positive
Adenovirus (respiratory)	12	1950	115	5.90%
HMPV	12	1950	116	5.95%
Parainfluenza virus	12	1950	84	4.31%
Rhino/enterovirus	10	1867	628	33.64%
RSV†^	16	2724	186	6.83%
Seasonal coronavirus (does not include MERS-CoV or COVID-19)	12	1893	21	1.11%

RSV tests displayed in the table are a combination of antigen detection, PCR, and culture tests. Some non-NREVSS reporters also contribute to the RSV data. Numbers and percentage may differ from the weekly RSV report. The weekly RSV report may be accessed at https://www.dshs.state.tx.us/RSV/disease/rsv-Data.aspx.

#### Antigenic Characterization

No antigenic characterization data for Texas specimens are currently available. The DSHS Laboratory sends a representative sample of influenza viruses to the CDC throughout the flu season.

#### Antiviral Resistance

No antiviral resistance testing data for Texas specimens are available presently.

May

## U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet)

\* Please note, the COVID-19 pandemic is affecting healthcare seeking behavior. The number of persons and their reasons for seeking care in the outpatient and ED settings is changing. These changes impact data from ILINet in ways that are difficult to differentiate from changes in illness levels, therefore ILINet data should be interpreted with caution.

Table 6: Texas ILINet Reporting and Patient Visit Summary for the Current Week

	Week 43
Number of providers reporting	51
Number of providers reporting patient visits	51
Number (%) of providers with at least one ILI case	43 (84.31%)
Percentage of all visits due to ILI	2.33%
Texas ILINet baseline <sup>‡</sup> , 2021-2022	4.57%


<sup>&</sup>lt;sup>‡</sup>The baseline is the mean percentage of patient visits for ILI during non-influenza weeks for the previous three seasons plus two standard deviations. A "non-influenza week" is defined as a week that accounted for less than 2% of the season's total number of specimens that tested positive for influenza

<u>Special Note</u>: The case definition was changed to capture respiratory pathogens causing illness, including CoVID-19, through the ILINet. The Influenza-like Illness (ILI) case definition for the 2021-2022 Season has changed to: fever (≥ 100°F, 37.8°C) AND cough and/or sore throat. There is no longer a restriction on the cause.

Table 7: Percentage of Visits for Influenza-like Illness Reported by Texas ILINet Providers (as of 11/4/2021 9:00 AM)

	Providers	Numbe				Number of ILI Cases by Age Group (Years)		Total	0/ 11.1
Week	Reporting	0-4	5-24	25-49	50-64	65+	(all ages)	Patients	% ILI
202140	73	450	464	222	77	41	1254	52523	2.39%
202141	67	391	417	198	78	50	1134	51568	2.20%
202142	69	414	425	177	75	36	1127	50498	2.23%
202143	51	444	410	136	41	41	1072	46082	2.33%

Figure 3: Percentage of Visits Due to Influenza-like Illness Reported by Texas ILINet Participants, 2021-2022 Season






Figure 4: Percentage of Visits Due to Influenza-like Illness Reported by Texas ILINet Participants, 2018–2022 Seasons

Note: The 2020-2021 Flu Season contains MMWR week 202053. For graphical display compatibility with seasons containing 52 weeks, average values were generated using MMWR week 52 and 1 for Seasons: 2018-2019, 2019-2020, and 2021-2022.

## **Reports from Health Service Regions**

Reports were received from all Health Service Regions (HSRs) during week 43.

Table 8: Influenza Activity compared to week 42 by Health Service Region (HSR)

Influenza Activity Comparison	Health Service Region (HSR)
Increased	6/5S, 7, 8, 9/10, and 11
Same	1, 2/3, and 4/5N
Decreased	
Unsure	

## **Variant Influenza Viruses**

No variant or novel influenza viruses have been detected in Texas during the 2021-2022 season.

#### Institutional Outbreaks and School Closures

No institutional outbreaks or school closures were reported in week 43 during the 2021-2022 season.

## **P&I Mortality Surveillance Data**

\*Deaths due to COVID-19 may be classified as pneumonia deaths or influenza deaths (deaths due to "flu" or "flu-like illness") in the absence of positive SARS-CoV-2 test results.

Pneumonia and influenza (P&I) death data are obtained from death certificates of Texas residents whose underlying or contributing cause(s) of death is reported as pneumonia or influenza. P&I deaths are identified based on ICD-10 multiple cause of death codes. P&I deaths are based on ICD-10 pneumonia and influenza mortality codes.

Three hundred seventy-seven (377) P&I deaths have been reported in Texas during the 2021-2022 influenza season.

Table 8: Texas P&I Deaths Occurring October 3, 2021 - October 30, 2021\* by Age

Age Category	Number of P&I	Mortality Rate
(years)	Deaths <sup>+</sup>	(per 100,000)
0 - 4	<10	-
5 - 17	<10	-
18 - 49	27	0.20
50 - 64	62	1.19
65 +	286	6.75
Overall	377	1.23

<sup>\*</sup>NOTE: Data are provisional and subject to change, errors, and duplicates

Table 9: Texas P&I Deaths Occurring October 3, 2021 – October 30, 2021\* by Health Service Region (HSR)

		9 = = 1= 2 - 1
HSR	Number of P&I Deaths	Mortality Rate (per 100,000)
1	21	2.21
2/3	96	1.07
4/5N	43	2.77
6/5S	83	1.00
7	44	1.18
8	39	1.20
9/10	20	1.23
11	30	1.28
Unknown	1	-
Overall	377	1.23

<sup>\*</sup>NOTE: Data are provisional and subject to change, errors, and duplicates

## **Influenza-Associated Pediatric Mortality**

No influenza-associated pediatric deaths were reported during week 43.

No influenza-associated pediatric mortalities have been reported in Texas during the 2021-2022 influenza season. Cases of influenza-associated pediatric mortality (children <18 years of age) are reportable year-round by law in Texas.


Table 10: Influenza-Associated Pediatric Deaths Reported in Texas during the 2021-2022 Season

Month of Pediatric Death	Influenza A (H1N1)	Influenza A (H3N2)	Influenza A (Not Subtyped)	Influenza B	Influenza, Not Typed / Not Differentiated	Influenza virus co-infection: A (not subtyped) and B	Total, All Influenza Types / Subtypes
2021							7.
October	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0

<sup>\*</sup> If the cell count is less than 10, the number of P&I deaths is suppressed and <10 is written in the cell.

## **Statewide Influenza Activity Map**

Figure 5: Texas Map Displaying the Highest Level of Influenza or ILI Activity Reported by County for the Week Ending October 30, 2021 (MMWR Week 43)



Please note: The majority of influenza cases are not reportable by law in Texas. This map contains data from sentinel sites and only displays influenza and ILI cases that were reported to public health. Positive laboratory results are reported according to specimen collection date, or date received in the laboratory if the former is unknown.

## **Texas Influenza Surveillance Components and Measures**

Activity codes (see http://www.cdc.gov/flu/weekly/overview.htm)

Statewide influenza activity level

A code reported weekly by states and territories to CDC indicating the geographic spread of influenza in the state. Levels are no activity, sporadic, local, regional, and widespread.

**ILINet Activity Indicator** 

A statewide level of influenza-like illness intensity (on a scale of 1-10, with 1 being the lowest level) assigned to each state weekly by CDC based on data reported through ILINet.

#### Morbidity

Novel/variant influenza

Thorough investigations are performed on all cases of novel/variant influenza. This condition is reportable by law in Texas.

Tevas II INet

Providers voluntarily report weekly to CDC's ILINet system on the number of outpatient visits for ILI and total outpatient visits. Providers may submit up to 5 specimens per month for influenza testing. See <a href="http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/ILINet/">http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/ILINet/</a> for information on how to become an ILINet provider.

ILI activity

Non-ILINet providers report ILI or influenza data weekly to local or regional health departments.

Outbreaks

Healthcare, schools, childcare, and correctional facilities report ILI and influenza outbreaks to health departments in Texas. This condition is reportable by law in Texas.

#### Mortality

Pneumonia and Influenza (P&I) Mortality Surveillance

The DSHS Vital Statistics Unit collects death certificate information for all deaths on Texas residents from various partners such as funeral homes and local registrars around the state. The death certificates are then sent to the National Center for Health Statistics (NCHS) where the cause of death and underlying causes of death on the death certificates are coded with ICD-10 mortality codes. Once death certificates are coded, the information is sent back to DSHS Center for Health Statistics (CHS). CHS produces a Weekly Pneumonia and Influenza (P&I) Death Report and sends it to the State Influenza Surveillance Coordinator for inclusion in the Texas Weekly Flu Report. P&I deaths are identified based on ICD-10 multiple cause of death codes, and in particular, pneumonia and influenza mortality codes. Delays inherent in death reporting and coding practices may cause the number of reported P&I deaths to vary considerably each week.

Influenza-associated pediatric deaths

Deaths that are associated with influenza in children < 18 years of age are reported to health departments in Texas. *This condition is reportable by law in Texas*. <a href="http://www.dshs.state.tx.us/idcu/disease/IAPM/">http://www.dshs.state.tx.us/idcu/disease/IAPM/</a>

#### Laboratory

**DSHS** Austin laboratory

Providers voluntarily submit specimens to the DSHS Austin laboratory for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

Laboratory Response Network (LRN) laboratories

Providers voluntarily submit specimens to one of the 9 Texas LRNs for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

**NREVSS** 

Laboratories voluntarily report influenza and other respiratory virus data weekly through the CDC's online NREVSS reporting system.

Laboratories sign up for this program by contacting DSHS. http://www.cdc.gov/surveillance/nrevss/

#### **Recommended Resources**

Texas Department of State Health Services DSHS influenza page: <a href="http://www.texasflu.org/">http://www.texasflu.org/</a>

Influenza surveillance data and reports: <a href="http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/">http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/</a>

Map of Texas Health Service Regions: <a href="http://www.dshs.state.tx.us/regions/state.shtm">http://www.dshs.state.tx.us/regions/state.shtm</a>

Centers for Disease Control and Prevention

National FluView weekly flu report: <a href="http://www.cdc.gov/flu/weekly/">http://www.cdc.gov/flu/weekly/</a> Variant influenza viruses: <a href="http://www.cdc.gov/flu/swineflu/variant.htm">http://www.cdc.gov/flu/swineflu/variant.htm</a> Avian influenza viruses: <a href="http://www.cdc.gov/flu/swineflu/index.htm">http://www.cdc.gov/flu/swineflu/index.htm</a> Swine influenza viruses: <a href="http://www.cdc.gov/flu/swineflu/index.htm">http://www.cdc.gov/flu/swineflu/index.htm</a>

Infection Control in Healthcare Facilities: http://www.cdc.gov/flu/professionals/infectioncontrol/

Seasonal Flu Information for Schools and Childcare Providers: http://www.cdc.gov/flu/school/index.htm

World Health Organization

Influenza page: <a href="http://www.who.int/topics/influenza/en/">http://www.who.int/topics/influenza/en/</a>
Disease Outbreak News: <a href="http://www.who.int/csr/don/en/">http://www.who.int/csr/don/en/</a>