

## Texas Department of State Health Services



# Texas Influenza Surveillance Report 2021-2022 Season/2021 MMWR Week 47

(November 21, 2021 – November 27, 2021) Report produced on 12/3/2021

#### Summary

\*Please note, some aspects of influenza surveillance may be affected by current COVID-19 response activities. For information about COVID-19 in Texas, please visit www.dshs.texas.gov/coronavirus.

Compared to the previous week, the percentage of specimens testing positive for influenza reported by hospital laboratories has decreased. The percentage of patient visits due to influenza-like illness (ILI) has decreased. No influenza-associated pediatric deaths were reported. No influenza-associated institutional outbreaks or school closures were reported.

Table 1: Summary of Texas Influenza (Flu) and Influenza-like Illness (ILI) Activity for the Current Week

Texas Surveillance Component	Change from Previous Week	Current Week	Previous Week <sup>†</sup>	Page of Report
Statewide ILINet Activity Indicator assigned by CDC (intensity of influenza-like illness)	No change	Low	Low	
Percentage of specimens positive for influenza by hospital laboratories	▼0.24%	1.80%	2.04%	1
Percentage of visits due to ILI (ILINet)	▼0.14%	3.08%	3.22%	4
Number of regions reporting increased flu/ILI activity	<b>▲</b> 4	6	2	5
Number of regions reporting decreased flu/ILI activity	No change	1	1	5
Number of variant/novel influenza infections	No cases reported	0	0	5
Number of ILI/influenza outbreaks	No cases reported	0	0	5
Number of pediatric influenza deaths	No change	0	0	6

## **Laboratory Results**

Influenza

\*In response to the COVID-19, influenza testing at Texas Public Health Laboratories has significantly decreased to increase capacity for SARS-CoV-2 testing. Please note, this will affect data in Table 3 and Figure 2.

Hospital laboratories across Texas voluntarily report influenza tests (antigen, culture, and PCR) to the National Respiratory and Enteric Virus Surveillance System (NREVSS). Providers throughout Texas also submit specimens for influenza testing (PCR) to Texas public health laboratories, including the Texas Department of State Health Services (DSHS) state laboratory in Austin and the nine Texas Laboratory Response Network (LRN) laboratories. The results reported by Texas NREVSS participants and public health laboratories for the current week are summarized in the two tables below. Additional influenza test results (rapid tests, culture, PCR) and ILI activity were reported from providers and public health departments throughout the state (see county map at the end of this report).

Table 2: Influenza Testing Performed by Texas Hospital Laboratories for the Current Week

	Week 47	Season to Date Week Ending: Nov. 27, 2021
Number of labs reporting flu tests	20	
Number of specimens tested	4505	45932
Number of positive specimens (%) <sup>†</sup>	81 (1.80%)	336 (0.73%)
Percentage of total tests that were antigen detection tests	13.05%	
Positive specimens by type/subtype [n	(%)]	
Influenza A	72 (88.89%)	269 (80.06%)
Subtyping performed	6 (8.33%)	33 (12.27%)
A (H1N1)	0 (0.00%)	3 (9.09%)
A (H3N2)	6 (100.00%)	30 (90.91%)
.78Subtyping not performed	66 (91.67%)	236 (87.73%)
Influenza B	9 (11.11%)	67 (19.94%)

Figure 1: Number and Percentage of Tests (Antigen, Culture, PCR) Positive for Influenza by Type and Subtype Reported by Texas Hospital Laboratories, 2021-2022 Season




Table 3: Influenza Testing Performed by Texas Public Health Laboratories for the Current Week

Table 5. Initide 12a Testing Tenorified by Texas Tubile Tleatiff Laboratories for the Gurrent Week					
	Week 47	Season to Date Week Ending: Nov. 27, 2021			
Number of labs reporting flu tests	1				
Number of specimens tested	76	615			
Number of positive specimens (%) <sup>†</sup>	1 (1.32%)	8 (1.30%)			
Positive specimens by type/subtype/lineage [n	(%)]				
Influenza A	1 (100.00%)	7 (87.50%)			
Subtyping performed	1 (100.00%)	7 (100.00%)			
A (H1N1)	0 (0.00%)	0 (0.00%)			
A (H3N2)	1 (100.00%)	7 (100.00%)			
Subtyping not performed	0 (0.00%)	0 (0.00%)			
Influenza B	0 (0.00%)	1 (12.50%)			
Lineage testing performed	0 (0.00%)	1 (100.00%)			
B/Victoria	0 (0.00%)	1 (100.00%)			
B/Yamagata	0 (0.00%)	0 (0.00%)			
Lineage testing not performed	0 (0.00%)	0 (0.00%)			
Other	0 (0.00%)	0 (0.00%)			

\*Other denotes specimens with coinfections (i.e. one specimen was positive for both influenza A (H1N1) and influenza A (H3N2))0

Health Laboratories, 2021-2022 Season 120 Other\* ■Flu B (Victoria) ■Flu B (Yamagata) 100 ■Flu B (lineage not determined) Number of tests positive for influenza □Flu A (not subtyped) ■Flu A (H3N2) 80 □Flu A (H1N1) 60 40 20 0 40 41 42 43 44 45 46 47 48 49 50 51 52 9 10 11 12 13 14 15 16 17 3 5 18 19 20 6

January

MMWR Reporting Week

February

March

2022

April

May

Figure 2: Number of Tests (PCR) Positive for Influenza by Type, Subtype, and Lineage Reported by Texas Public Health Laboratories, 2021-2022 Season

\*Other denotes specimens with coinfections (i.e. one specimen was positive for both influenza A (H1N1) and influenza A (H3N2))

2021

November | December

#### Other Respiratory Viruses

October

The NREVSS system collects information on a variety of respiratory viruses in addition to influenza including parainfluenza virus, respiratory syncytial virus (RSV), rhinovirus, human metapneumovirus (HMPV), seasonal coronavirus, and respiratory adenovirus. The results for the current week are summarized below.

Table 4: Non-Influenza Respiratory Virus Testing Performed by Texas NREVSS Laboratories for the Current Week

Virus	Number of Laboratories Testing	Tests Performed	Positive Tests	Percentage of Tests Positive
Adenovirus (respiratory)	15	2439	141	5.78%
HMPV	15	2439	427	17.51%
Parainfluenza virus	15	2439	218	8.94%
Rhino/enterovirus	13	2353	675	28.69%
RSV <sup>†</sup>	20	3914	283	7.23%
Seasonal coronavirus (does not include MERS-CoV or COVID-19)	13	1921	55	2.86%

<sup>†</sup>RSV tests displayed in the table are a combination of antigen detection, PCR, and culture tests. Some non-NREVSS reporters also contribute to the RSV data.

\*Numbers and percentage may differ from the weekly RSV report. The weekly RSV report may be accessed at <a href="https://www.dshs.state.tx.us/RSV/disease/rsv-Data.aspx">https://www.dshs.state.tx.us/RSV/disease/rsv-Data.aspx</a>.

#### Antigenic Characterization

No antigenic characterization data for Texas specimens are currently available. The DSHS Laboratory sends a representative sample of influenza viruses to the CDC throughout the flu season.

#### Antiviral Resistance

No antiviral resistance testing data for Texas specimens are available presently.

## U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet)

\* Please note, the COVID-19 pandemic is affecting healthcare seeking behavior. The number of persons and their reasons for seeking care in the outpatient and ED settings is changing. These changes impact data from ILINet in ways that are difficult to differentiate from changes in illness levels, therefore ILINet data should be interpreted with caution.

Table 6: Texas ILINet Reporting and Patient Visit Summary for the Current Week


	Week 47
Number of providers reporting	67
Number of providers reporting patient visits	66
Number (%) of providers with at least one ILI case	54 (81.82%)
Percentage of all visits due to ILI	3.08%
Texas ILINet baseline <sup>‡</sup> , 2021-2022	4.57%

<sup>&</sup>lt;sup>‡</sup>The baseline is the mean percentage of patient visits for ILI during non-influenza weeks for the previous three seasons plus two standard deviations. A "non-influenza week" is defined as a week that accounted for less than 2% of the season's total number of specimens that tested positive for influenza

<u>Special Note</u>: The case definition was changed to capture respiratory pathogens causing illness, including CoVID-19, through the ILINet. The Influenza-like Illness (ILI) case definition for the 2021-2022 Season has changed to: fever (≥ 100°F, 37.8°C) AND cough and/or sore throat. There is no longer a restriction on the cause.

Table 7: Percentage of Visits for Influenza-like Illness Reported by Texas ILINet Providers (as of 12/2/2021 12:35 PM)

	Providers	Numbe	er of ILI Ca	ases by A	ge Group	(Years)	Total ILI	Total	
Week	Reporting	0-4	5-24	25-49	50-64	65+	(all ages)	Patients	% ILI
202140	76	452	470	222	77	41	1262	53014	2.38%
202141	72	392	422	199	79	50	1142	52090	2.19%
202142	77	417	435	179	75	36	1142	51438	2.22%
202143	60	446	415	139	41	41	1082	47134	2.30%
202144	72	452	535	187	61	40	1275	51562	2.47%
202145	73	486	592	196	66	60	1400	52732	2.65%
202146	71	563	771	228	88	55	1705	52962	3.22%
202147	67	559	440	233	90	51	1373	44552	3.08%






Figure 4: Percentage of Visits Due to Influenza-like Illness Reported by Texas ILINet Participants, 2018–2022 Seasons

Note: The 2020-2021 Flu Season contains MMWR week 202053. For graphical display compatibility with seasons containing 52 weeks, average values were generated using MMWR week 52 and 1 for Seasons: 2018-2019, 2019-2020, and 2021-2022.

## **Reports from Health Service Regions**

Reports were received from seven Health Service Regions (HSRs) during week 47.

Table 8: Influenza Activity compared to week 46 by Health Service Region (HSR)

Influenza Activity Comparison	Health Service Region (HSR)
Increased	1, 2/3, 4/5N, 6/5S, 7, and 8
Same	
Decreased	11
Unsure	

#### Variant Influenza Viruses

No variant or novel influenza viruses have been detected in Texas during the 2021-2022 season.

## **Institutional Outbreaks and School Closures**

No institutional outbreaks or school closures were reported in week 47 during the 2021-2022 season.

## **P&I Mortality Surveillance Data**

\*Deaths due to COVID-19 may be classified as pneumonia deaths or influenza deaths (deaths due to "flu" or "flu-like illness") in the absence of positive SARS-CoV-2 test results.

Pneumonia and influenza (P&I) death data are obtained from death certificates of Texas residents whose underlying or contributing cause(s) of death is reported as pneumonia or influenza. P&I deaths are identified based on ICD-10 multiple cause of death codes. P&I deaths are based on ICD-10 pneumonia and influenza mortality codes.

One thousand nineteen (1,019) P&I deaths have been reported in Texas during the 2021-2022 influenza season.

Table 8: Texas P&I Deaths Occurring October 3, 2021 - November 27, 2021\* by Age

Age Category	Number of P&I	Mortality Rate
(years)	Deaths⁺	(per 100,000)
0 - 4	<10	-
5 - 17	<10	=
18 - 49	66	0.49
50 - 64	181	3.46
65 +	770	18.16
Overall	1019	3.32

<sup>\*</sup>NOTE: Data are provisional and subject to change, errors, and duplicates

Table 9: Texas P&I Deaths Occurring October 3, 2021 – November 27, 2021\* by Health Service Region (HSR)

HSR	Number of P&I Deaths	Mortality Rate (per 100,000)
1	48	5.06
2/3	297	3.32
4/5N	101	6.51
6/5S	232	2.80
7	123	3.30
8	106	3.26
9/10	43	2.65
11	68	2.89
Unknown	1	-
Overall	1019	3.32

<sup>\*</sup>NOTE: Data are provisional and subject to change, errors, and duplicates

## **Influenza-Associated Pediatric Mortality**

No influenza-associated pediatric deaths were reported during week 47.


No influenza-associated pediatric mortalities have been reported in Texas during the 2021-2022 influenza season. Cases of influenza-associated pediatric mortality (children <18 years of age) are reportable year-round by law in Texas.

Table 10: Influenza-Associated Pediatric Deaths Reported in Texas during the 2021-2022 Season

Month of Pediatric Death	Influenza A (H1N1)	Influenza A (H3N2)	Influenza A (Not Subtyped)	Influenza B	Influenza, Not Typed / Not Differentiated	Influenza virus co-infection: A (not subtyped) and B	Total, All Influenza Types / Subtypes
2021							
October	0	0	0	0	0	0	0
November	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0

<sup>&</sup>lt;sup>†</sup> If the cell count is less than 10, the number of P&I deaths is suppressed and <10 is written in the cell.

## **Statewide Influenza Activity Map**



Please note: The majority of influenza cases are not reportable by law in Texas. This map contains data from sentinel sites and only displays influenza and ILI cases that were reported to public health. Positive laboratory results are reported according to specimen collection date, or date received in the laboratory if the former is unknown.

## **Texas Influenza Surveillance Components and Measures**

Activity codes (see http://www.cdc.gov/flu/weekly/overview.htm)

Statewide influenza activity level

A code reported weekly by states and territories to CDC indicating the geographic spread of influenza in the state. Levels are no activity, sporadic, local, regional, and widespread.

**ILINet Activity Indicator** 

A statewide level of influenza-like illness intensity (on a scale of 1-10, with 1 being the lowest level) assigned to each state weekly by CDC based on data reported through ILINet.

#### Morbidity

Novel/variant influenza

Thorough investigations are performed on all cases of novel/variant influenza. This condition is reportable by law in Texas.

#### Tevas II INet

Providers voluntarily report weekly to CDC's ILINet system on the number of outpatient visits for ILI and total outpatient visits. Providers may submit up to 5 specimens per month for influenza testing. See <a href="http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/ILINet/">http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/ILINet/</a> for information on how to become an ILINet provider.

#### ILI activity

Non-ILINet providers report ILI or influenza data weekly to local or regional health departments.

#### Outbreaks

Healthcare, schools, childcare, and correctional facilities report ILI and influenza outbreaks to health departments in Texas. This condition is reportable by law in Texas.

#### Mortality

Pneumonia and Influenza (P&I) Mortality Surveillance

The DSHS Vital Statistics Unit collects death certificate information for all deaths on Texas residents from various partners such as funeral homes and local registrars around the state. The death certificates are then sent to the National Center for Health Statistics (NCHS) where the cause of death and underlying causes of death on the death certificates are coded with ICD-10 mortality codes. Once death certificates are coded, the information is sent back to DSHS Center for Health Statistics (CHS). CHS produces a Weekly Pneumonia and Influenza (P&I) Death Report and sends it to the State Influenza Surveillance Coordinator for inclusion in the Texas Weekly Flu Report. P&I deaths are identified based on ICD-10 multiple cause of death codes, and in particular, pneumonia and influenza mortality codes. Delays inherent in death reporting and coding practices may cause the number of reported P&I deaths to vary considerably each week.

#### Influenza-associated pediatric deaths

Deaths that are associated with influenza in children < 18 years of age are reported to health departments in Texas. This condition is reportable by law in Texas. http://www.dshs.state.tx.us/idcu/disease/IAPM/

#### Laboratory

**DSHS** Austin laboratory

Providers voluntarily submit specimens to the DSHS Austin laboratory for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

Laboratory Response Network (LRN) laboratories

Providers voluntarily submit specimens to one of the 9 Texas LRNs for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

**NREVSS** 

Laboratories voluntarily report influenza and other respiratory virus data weekly through the CDC's online NREVSS reporting system.

Laboratories sign up for this program by contacting DSHS. http://www.cdc.gov/surveillance/nrevss/

#### **Recommended Resources**

Texas Department of State Health Services DSHS influenza page: <a href="http://www.texasflu.org/">http://www.texasflu.org/</a>

Influenza surveillance data and reports: <a href="http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/">http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/</a>

Map of Texas Health Service Regions: <a href="http://www.dshs.state.tx.us/regions/state.shtm">http://www.dshs.state.tx.us/regions/state.shtm</a>

Centers for Disease Control and Prevention

National FluView weekly flu report: <a href="http://www.cdc.gov/flu/weekly/">http://www.cdc.gov/flu/weekly/</a> Variant influenza viruses: <a href="http://www.cdc.gov/flu/swineflu/variant.htm">http://www.cdc.gov/flu/swineflu/variant.htm</a> Avian influenza viruses: <a href="http://www.cdc.gov/flu/swineflu/index.htm">http://www.cdc.gov/flu/swineflu/index.htm</a> Swine influenza viruses: <a href="http://www.cdc.gov/flu/swineflu/index.htm">http://www.cdc.gov/flu/swineflu/index.htm</a>

Infection Control in Healthcare Facilities: http://www.cdc.gov/flu/professionals/infectioncontrol/

Seasonal Flu Information for Schools and Childcare Providers: http://www.cdc.gov/flu/school/index.htm

World Health Organization

Influenza page: <a href="http://www.who.int/topics/influenza/en/">http://www.who.int/topics/influenza/en/</a>
Disease Outbreak News: <a href="http://www.who.int/csr/don/en/">http://www.who.int/csr/don/en/</a>