



# Texas Influenza Surveillance Report 2015–2016 Season/2016 MMWR Week 14

(Apr. 03, 2016 – Apr. 09, 2016) Report produced on 04/15/2016

# **Summary**

Influenza activity remains elevated, but it appears to be decreasing across the state. Compared to the previous week, the percentage of specimens positive for influenza slightly increased and the percentage of patient visits due to influenza-like illness (ILI) marginally decreased. It appears that influenza activity has peaked for the season. One influenza-associated pediatric death was reported. No ILI/influenza outbreaks were reported. In addition to flu, other respiratory viruses were detected in Texas during week 14.

Table 1: Summary of Texas Influenza (Flu) and Influenza-like Illness (ILI) Activity for the Current Week

Texas Surveillance Component	Change from Previous Week	Current Week	Previous Week <sup>†</sup>	Page of Report
Statewide influenza activity level reported to CDC (geographic spread of influenza)	Decreased	Local	Regional	
Statewide ILINet Activity Indicator assigned by CDC (intensity of influenza-like illness)	No change	Low	Low	
Percentage of specimens positive for influenza	▲0.14%	18.70%	18.56% <sup>†</sup>	1
Percentage of visits due to ILI (ILINet)	▼0.37%	4.60%	4.97% <sup>†</sup>	3
Number of regions reporting increased flu/ILI activity	▼1	0	1	5
Number of regions reporting decreased flu/ILI activity	▲3	5	2	5
Number of variant/novel influenza infections	No change	0	0	5
Number of ILI/influenza outbreaks	▼2	0	2	5
Number of Pneumonia and Influenza (P&I) Deaths	<b>▲</b> 200	200	0	6
Number of pediatric influenza deaths	New Case Reported	1	1	7

<sup>†</sup>Data displayed have been updated since last week's flu report with any new reports received.

# **Laboratory Results**

#### Influenza


Hospital laboratories across Texas voluntarily report influenza tests (antigen, culture, and PCR) to the National Respiratory and Enteric Virus Surveillance System (NREVSS). Providers throughout Texas also submit specimens for influenza testing (PCR) to Texas public health laboratories, including the Texas Department of State Health Services (DSHS) laboratory in Austin and the nine Texas Laboratory Response Network (LRN) laboratories. The results reported by these labs are summarized below. Additional influenza test results (rapid tests, culture, PCR) were reported from providers and public health departments throughout the state (see county map at the end of this report).

Table 2: Influenza Testing Performed by Texas Laboratories for the Current Week

Table 2: Influenza Testing Performed by Texas Laboratories for th		
	Week 14	Season to Date
Number of labs reporting flu tests	16	
Number of specimens tested	2561	60899
Number of positive specimens (%) <sup>†</sup>	479 (18.70%)	6311 (10.36%)
Percentage of total tests that were antigen detection tests	57.99%	
Positive specimens by type/subtype/lineage	[n (%)]	
Influenza A	226 (47.18%)	3381 (53.57%)
Subtyping performed	56 (24.78%)	1202 (35.55%)
A (H1N1)	28 (50.00%)	727 (60.48%)
A (H3N2)	28 (50.00%)	475 (39.52%)
Subtyping not performed	170 (75.22%)	2179 (64.45%)
Influenza B	253 (52.82%)	2930 (46.43%)
Lineage testing performed	12 (4.74%)	162 (5.53%)
B/Victoria	3 (25.00%)	68 (41.98%)
B/Yamagata	9 (75.00%)	94 (58.02%)
Lineage testing not performed	241 (95.26%)	2768 (94.47%)

†Laboratory data in 2015-2016 season reports may not be comparable to reports from previous seasons because of the inclusion of DSHS and LRN laboratory data for the current season.

Figure 1: Number and Percentage of Tests (Antigen, Culture, PCR) Positive for Influenza by Type, Subtype, and Lineage Reported by Texas Laboratories, 2015–2016 Season



## Other Respiratory Viruses

The NREVSS system collects information on a variety of respiratory viruses in addition to influenza including parainfluenza virus, respiratory syncytial virus (RSV), rhinovirus, human metapneumovirus (HMPV), seasonal coronavirus, and respiratory adenovirus. The results for the current week are summarized below.

Table 3: Non-Influenza Respiratory Virus Testing Performed by Texas NREVSS Laboratories for the Current Week

Virus	Number of Laboratories Testing	Tests Performed	Positive Tests	Percentage of Tests Positive
Adenovirus (respiratory)	7	920	38	4.13%
HMPV	7	902	90	9.98%
Parainfluenza virus	7	914	23	2.52%
Rhinovirus	6	739	172	23.27%
RSV <sup>†</sup> ^	12	1218	47	3.86%
Seasonal coronavirus (does not include MERS-CoV)	5	725	29	4.00%

<sup>†</sup>RSV tests displayed in the table are antigen detection tests only. Some non-NREVSS reporters also contribute to the RSV data.

<sup>^</sup>Numbers and percentage may differ from the weekly RSV report. The weekly RSV report may be accessed at <a href="https://www.dshs.state.tx.us/RSV/disease/rsv-Data.aspx">https://www.dshs.state.tx.us/RSV/disease/rsv-Data.aspx</a>.

#### Antigenic Characterization

Since October 04, 2015, CDC has reported antigenic characterization results from six influenza A (H1N1) viruses, thirteen influenza A (H3N2) viruses and seventeen influenza B viruses received from the Texas Department of State Health Services (DSHS) Laboratory. The DSHS Laboratory sends a representative sample of influenza viruses to the CDC throughout the flu season.

### Influenza A (H1N1) [6]

• Six (100.0%) viruses were related to A/California/07/2009. This virus strain was included in the 2015-2016 influenza vaccine for the Northern Hemisphere.

#### Influenza A (H3N2) [13]

• Thirteen (100.0%) viruses were related to A/Switzerland/9715293/2013, the influenza A (H3N2) component of the 2015-2016 Northern Hemisphere influenza vaccine.

#### Influenza B [17]

- Yamagata lineage [10]: Ten (58.8%) influenza B/Yamagata-lineage viruses have been characterized from Texas. A B/Phuket/3073/2013-like virus, which belongs to the B/Yamagata lineage, is included as an influenza B component of the 2015-2016 Northern Hemisphere trivalent and quadrivalent influenza vaccines.
- Victoria lineage [7]: Seven (41.2%) influenza B/Victoria-lineage viruses have been characterized as B/Brisbane/60/2008-like, which is included as an influenza B component of the 2015-2016 Northern Hemisphere quadrivalent influenza vaccine

#### Antiviral Resistance

No antiviral resistance testing data for Texas specimens are available at this time.

## U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet)

Table 4: Texas ILINet Reporting and Patient Visit Summary for the Current Week

	Week 14
Number of providers reporting <sup>†</sup>	53
Number of providers reporting patient visits	53
Number (%) of providers with at least one ILI case	46 (86.79%)
Percentage of all visits due to ILI	4.60%
Texas ILINet baseline <sup>‡</sup> , 2015–2016	6.32%


<sup>&</sup>lt;sup>†</sup>Reporting providers include both ILINet and RVSP providers.

Table 5: Percentage of Visits for Influenza-like Illness Reported by Texas ILINet Providers (as of 4/14/2016 9:25 AM)

Week	Providers	Num	Number of ILI Cases by Age Group (Years)			ears)	Total ILI	Total	% ILI
Week	Reporting	0-4	5-24	25-49	50-64	65+	(all ages)	<b>Patients</b>	70 ILI
201540	131	204	395	350	197	125	1271	31446	4.04%
201541	127	212	422	304	141	92	1171	29680	3.95%
201542	127	245	467	392	187	137	1428	31123	4.59%
201543	129	250	500	352	201	150	1453	31953	4.55%
201544	131	251	437	322	213	160	1383	31979	4.32%
201545	123	248	500	296	122	41	1207	29029	4.16%
201546	128	237	530	376	224	186	1553	31686	4.90%
201547	127	206	377	339	182	114	1218	22193	5.49%
201548	127	277	500	478	290	249	1794	31214	5.75%
201549	124	276	451	410	300	218	1655	28634	5.78%
201550	126	320	410	486	279	219	1714	28709	5.97%
201551	125	193	333	418	222	175	1341	21334	6.29%
201552	124	213	294	488	295	178	1468	21567	6.81%
201601	124	201	364	511	315	247	1638	26827	6.11%
201602	120	226	398	321	150	69	1164	25210	4.62%
201603	127	278	467	430	221	214	1610	29299	5.50%
201604	126	284	638	450	306	200	1878	30487	6.16%
201605	127	300	623	451	285	191	1850	30329	6.10%
201606	126	323	721	604	328	215	2191	31658	6.92%

<sup>&</sup>lt;sup>‡</sup>The baseline is the mean percentage of patient visits for ILI during non-influenza weeks for the previous three seasons plus two standard deviations. A "non-influenza week" is defined as a week that accounted for less than 2% of the season's total number of specimens that tested positive for influenza.

Week	Providers Number of ILI Cases by Age Group (Years)						Total ILI	Total	% ILI
Week	Reporting	0-4	5-24	25-49	50-64	65+	(all ages)	<b>Patients</b>	/0 ILI
201607	124	332	806	625	362	244	2369	31583	7.50%
201608	88	298	537	246	200	211	1492	24612	6.06%
201609	86	294	602	242	173	166	1477	24542	6.02%
201610	85	226	426	242	175	166	1235	22694	5.44%
201611	84	188	287	213	150	127	965	19237	5.02%
201612	79	152	404	198	138	148	1040	21183	4.91%
201613	76	192	389	189	127	151	1048	21094	4.97%
201614	53	84	274	195	122	142	817	17755	4.60%






Figure 3: Percentage of Visits Due to Influenza-like Illness Reported by Texas ILINet Participants, 2012–2016 Seasons

# **Reports from Health Service Regions**

Reports were received from all Health Service Regions (HSRs) during week 14.

Table 6: Influenza Activity Compared to Week 13 by Health Service Region (HSR)

Influenza Activity Comparison	Health Service Region (HSR)
Increased	
Same	6/5S, 8, and 11
Decreased	1, 2/3, 4/5N, 7, and 9/10
Unsure	

## **Variant Influenza Viruses**

No variant or novel influenza viruses have been detected in Texas in 2015 or 2016.

## **Institutional Outbreaks and School Closures**

No ILI or influenza-associated outbreaks were reported during week 14.

No school closures were reported during week 14.

<sup>\*</sup>There was a week 53 in the 2014-2015 influenza season, but there is not a week 53 for the 2015-2016 influenza season or the other previous seasons; therefore the week 53 data point for those seasons is an average of week 52 and 1.

## TX P&I Mortality Surveillance Data

Pneumonia and influenza (P&I) deaths are attained from death certificates of Texas residents whose underlying or contributing cause(s) of death on the death certificate is reported as pneumonia or influenza. P&I deaths are identified based on ICD-10 multiple cause of death codes. In particular, P&I deaths are based on ICD-10 pneumonia and influenza mortality codes.

Three thousand five hundred thirty-four P&I deaths have been reported in Texas during the 2015-2016 influenza season.

Table 7: Texas P&I Deaths Occurring Oct. 04, 2015-Apr. 13, 2016\* by Age

		, , -
Age Category	Number of P&I	Mortality Rate
(years)	Deaths+	(per 100,000)
0 - 4	15	0.74
5 - 17	<10	0.13
18 - 49	201	1.61
50 - 64	575	11.57
65 +	2736	81.30
Overall	3534	12.51

<sup>\*</sup>NOTE: Data are provisional and subject to change, errors, and duplicates

Table 8: Texas P&I Deaths Occurring Oct. 04, 2015-Apr. 13, 2016\* by Health Service Region (HSR)

	Number of P&I	Mortality Rate
HSR	Deaths	(per 100,000)
1	145	16.12
2/3	986	12.08
4/5N	262	16.50
6/5S	772	10.50
7	438	12.84
8	373	12.76
9/10	223	14.57
11	335	14.13
Overall	3534	12.51

<sup>\*</sup>NOTE: Data are provisional and subject to change, errors, and duplicates

<sup>†</sup> If the cell count is less than 10, the number of P&I deaths is suppressed and <10 is written in the cell.

# **Influenza-Associated Pediatric Mortality**

One influenza-associated pediatric death was reported in week 14 that occurred during week 12. The child was a 10-year-old resident of HSR 8 with an underlying health condition. A specimen collected from the child was positive for influenza B and human metapneumovirus by PCR; a tracheal aspirate specimen collected from the child was positive for *Streptococcus pneumoniae* and *Pseudomonas aeruginosa*. The child was not vaccinated for influenza for the current influenza season.


Four influenza-associated pediatric deaths have been reported in Texas during the 2015-2016 influenza season. Cases of influenza-associated pediatric mortality (children <18 years of age) are reportable year-round and by law in Texas.

Table 9: Influenza-Associated Pediatric Deaths Reported in Texas during the 2015–2016 Season

Month of Pediatric Death	Influenza A (H1N1)	Influenza A (H3N2)	Influenza A (Not Subtyped)	Influenza B	Influenza, Not Typed / Not Differentiated	Influenza virus co-infection: A (not subtyped) and B	Total, All Influenza Types / Subtypes
2015							
October	0	0	0	0	0	0	0
November	0	0	0	0	0	0	0
December	0	0	0	0	0	0	0
2016							
January	0	0	0	0	0	0	0
February	0	0	0	0	0	0	0
March	1	2	0	1	0	0	4
April	0	0	0	0	0	0	0
Total	1	2	0	1	0	0	4

# **Statewide Influenza Activity Map**

Figure 4: Texas Map Displaying the Highest Level of Influenza or ILI Activity Reported by County for the Week Ending Apr. 09, 2016 (MMWR Week 14)



Please note: The majority of influenza cases are not reportable by law in Texas. This map contains data from sentinel sites and only displays influenza and ILI cases that were reported to public health. Positive laboratory results are reported according to specimen collection date, or date received in the laboratory if the former is unknown.

## **Texas Influenza Surveillance Components and Measures**

Activity codes (see http://www.cdc.gov/flu/weekly/overview.htm)

Statewide influenza activity level

A code reported weekly by states and territories to CDC indicating the geographic spread of influenza in the state. Levels are no activity, sporadic, local, regional, and widespread.

**ILINet Activity Indicator** 

A statewide level of influenza-like illness intensity (on a scale of 1-10, with 1 being the lowest level) assigned to each state weekly by CDC based on data reported through ILINet.

#### Morbidity

Novel/variant influenza

Thorough investigations are performed on all cases of novel/variant influenza. This condition is reportable by law in Texas. Texas ILINet

Providers voluntarily report weekly to CDC's ILINet system on the number of outpatient visits for ILI and total outpatient visits. Providers may submit up to 5 specimens per month for influenza testing. See

http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/ILINet/ for information on how to become an ILINet provider.

Respiratory Virus Surveillance Project (RVSP)

Providers report weekly to ILINet and submit specimens on the first 10 patients seen with ILI each week. Specimens are tested for a variety of respiratory viruses.

ILI activity

Non-ILINet providers report ILI or influenza data weekly to local or regional health departments.

Outbreaks

Healthcare, schools, and childcare facilities report ILI and influenza outbreaks to health departments in Texas. *This condition is reportable by law in Texas*.

#### Mortality

Pneumonia and Influenza (P&I) Mortality Surveillance

The DSHS Vital Statistics Unit collects death certificate information for all deaths on Texas residents from various partners such as funeral homes and local registrars around the state. The death certificates are then sent to the National Center for Health Statistics (NCHS) where the cause of death and underlying causes of death on the death certificates are coded with ICD-10 mortality codes. Once death certificates are coded, the information is sent back to DSHS Center for Health Statistics (CHS). CHS produces a Weekly Pneumonia and Influenza (P&I) Death Report and sends it to the State Influenza Surveillance Coordinator for inclusion in the Texas Weekly Flu Report. P&I deaths are identified based on ICD-10 multiple cause of death codes, and in particular, pneumonia and influenza mortality codes. Delays inherent in death reporting and coding practices may cause the number of reported P&I deaths to vary considerably each week.

Influenza-associated pediatric deaths

Deaths that are associated with influenza in children < 18 years of age are reported to health departments in Texas. *This condition is reportable by law in Texas*. <a href="http://www.dshs.state.tx.us/idcu/disease/IAPM/">http://www.dshs.state.tx.us/idcu/disease/IAPM/</a>

#### Laboratory

DSHS Austin laboratory

Providers voluntarily submit specimens to the DSHS Austin laboratory for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

Laboratory Response Network (LRN) laboratories

Providers voluntarily submit specimens to one of the 9 Texas LRNs for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

**NREVSS** 

Laboratories voluntarily report influenza and other respiratory virus data weekly through the CDC's online NREVSS reporting system. Laboratories sign up for this program by contacting DSHS. <a href="https://www.cdc.gov/surveillance/nrevss/">http://www.cdc.gov/surveillance/nrevss/</a>

#### **Recommended Resources**

Texas Department of State Health Services DSHS influenza page: <a href="http://www.texasflu.org/">http://www.texasflu.org/</a>

Influenza surveillance data and reports: <a href="http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/">http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/</a>

Map of Texas Health Service Regions: http://www.dshs.state.tx.us/regions/state.shtm

Centers for Disease Control and Prevention

National FluView weekly flu report: http://www.cdc.gov/flu/weekly/

Variant and novel influenza viruses: http://www.cdc.gov/flu/avianflu/index.htm; http://www.cdc.gov/flu/swineflu/index.htm

Infection Control in Healthcare Facilities: http://www.cdc.gov/flu/professionals/infectioncontrol/

Seasonal Flu Information for Schools and Childcare Providers: http://www.cdc.gov/flu/school/index.htm

World Health Organization

Influenza page: <a href="http://www.who.int/topics/influenza/en/">http://www.who.int/topics/influenza/en/</a>
Disease Outbreak News: <a href="http://www.who.int/csr/don/en/">http://www.who.int/topics/influenza/en/</a>