


# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=1




# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=2




# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=3




# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=4




# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=5




# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=6




# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=7




# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=8






# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=9




# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=10




# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=11




# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=12




# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=13




# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=14




# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=15



# HIP FRACTURE: RISK-ADJUSTED MORTALITY RATE, 2009

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=16

